UNICRIMP®
Scolmore GROUP

ELECTRICAL ACCESSORIES

ISSUE 17



UNICRIMP.COM

Welcome to Unicrimp®

...a comprehensive range of electrical cable accessories.

Unicrimp® is part of the Scolmore® Group of companies. It brings to the electrical contracting industry a comprehensive range of electrical cable accessory products.

Launched under the Q-Crimp®, Q-Fire and Q-Nect brand names and available exclusively through the electrical wholesale trade, the product offering comprises an extensive range of cable management consumables.

All products from Unicrimp® are manufactured under stringent quality control systems and are fully compliant with the very latest industry regulations. The range includes cable ties, crimp terminals, PVC tape, copper tube terminals, cable clips, and brass and nylon glands – providing everything required to harness cable between the consumer unit and the end accessory.

Aligned with the core values of the Scolmore® group of companies, Unicrimp® will offer the same levels of outstanding customer service, high quality products and commitment to new product development.

Located at the Group Headquarters in the Midlands, the Unicrimp® distribution centre is ideally located to supply to all areas of the UK.

UNICRIMP®

call: 01827 300600 **email:** sales@unicrimp.com **visit:** www.unicrimp.com

Accessories to look out for

Q-Fire Expanding Foam

Single component, flame resistant, B1 quality construction foam which cures by air moisture. It expands up to 30 times its original volume and is quick drying. Flame resistant only in between solid mineral or metal construction materials - gap depth and width a maximum of 40mm.

Lock Off Kits

Lock off kits are designed to prevent equipment usage at any given time. Ideal in locations where multiple workers are on-site.

PVC Tapes

Tested for: Thickness, Tensile Elongation, Adhesion, Adhesion to Backing, Flagging, Corrosive Sulphur, Flame Propagation (CAT 2), Plastic to 31/90 (PVCP), Working Temperature up to 70°C.

Earth Rods & Clamps

Unicrimp® earthing products meet British, European and International standards and all components are manufactured from high quality materials designed to ensure long lasting performance.

Accessories to look out for

UNICRIMP®

Grommets

A selection of open and closed grommets for use in terminating cable through, consumer units, back boxes and junction boxes to prevent damage to the insulation of the cable.

Sleeving

Cable sleeving is used to protect bare wires by providing an insulated layer that also identifies the cable based on the colour.



Grommet Strips

Grommet strip will protect your cable from sharp and abrasive edges. These can be fitted to reduce chafing, with an easy to apply fit that doesn't need adhesives for proper application.

Meter Tail Glands

Meter Tail Glands are designed to house incoming cables on a metal consumer unit and provide the ideal solution to house incoming cables requiring entry through a 32mm or 40mm knockout due to their specialist grommet allowing fitment for 25mm² or 16mm² meter tails.



Cable Protection & Safety

Conduit accessories protect electrical cables from physical damage, moisture, and chemical exposure, ensuring longevity and safety. By securing conduits and providing smooth connections, electrical hazards like shorts and electrocution can be prevented.

Flexibility

Available in different sizes to fit various conduit diameters. Elbows, bends and junction boxes allow flexibility in conduit routing and expansion of electrical systems as needed.

Durable Materials

Manufactured from galvanized steel and brass, designed to resist corrosion and environmental stress.



Heat Resistance

Our high-quality conduit accessories can handle high temperatures, making them suitable for industrial and commercial applications.

Do more with Scolmore Group

All of our products in the Q-Crimp, Q-Fire and Q-Nect ranges can be used when installing products from Scolmore Group. Choose from a great range of cable and wire accessories to help make your installations quicker, easier and safer.

ESP Scolmore GROUP

- Bootlace Ferrules - Page 21
- Cable Ties - Page 25
- Warning Tape - Page 40
- Cable Clips - Page 45
- Q-Fire Range - Page 48
- Fixings - Page 56
- Catenary Wire & Accessories - Page 65

CLiCK Scolmore GROUP

- Sleeving - Page 32
- Nylon Glands - Page 39
- Push In & Lever Connectors - Page 41
- Grommets - Page 47
- Q-Fire Range - Page 48
- Extension Stud - Page 58
- Countersunk Machine Screws - Page 62
- Torque Driver - Page 76

OVIA Scolmore GROUP

- Bootlace Ferrules - Page 21
- Nylon Glands - Page 39
- PVC Tape - Page 40
- Push In & Lever Connectors - Page 41
- Terminal Blocks - Page 41
- Q-Fire Range - Page 48
- Catenary Wire & Accessories - Page 65
- Jack Chain & Accessories - Page 65



Q-NECT

Lever Connectors & Connection Boxes

Focusing on strong, quick and reliable solutions, the new Q-Nect range offers great versatility for electrical connections. Each product is packed with features which makes your installations quicker and easier.

- **Lever Connectors**
- **IP66 Junction Box**
- **2 & 3 Way Connectors**
- **3 Way IP68 'T' & Inline Connectors**

Earthing Products

Unicrimp's complete earthing system has a consistent design throughout the range, making it adaptable to meet the installers ever changing needs and simplify the overall installation.
Unicrimp® earthing products meet British, European and International standards and all components are manufactured from high quality materials designed to ensure long lasting performance even in the harshest soil conditions.

What to look out for

UNICRIMP®



Q-FIRE

The Complete Fire Range

Don't get caught out by the latest regs! Prevent cables from premature collapse during a fire and keep emergency services and the public safe.

BS7671 IET Wiring Regulations 18th Edition, Chapter 52:
Selection and erection of wiring systems, provides requirements for the methods of support of wiring systems in escape routes. Regulation 521.10.202 requires cables to be adequately supported against their premature collapse in the event of a fire. This applies throughout the installation and not just in escape routes.

- **Metal Cable Cleats**
- **Stainless Steel Cable Ties**
- **Stainless Steel Mounts**
- **Fire Safe Cable Clips**
- **Metal Screws**
- **Saddle Clips & P Clips**
- **Saddle Bar Spacers**
- **All Round Banding**
- **Sealants & Expanding Foam**

OB1 Range

User-friendly, hybrid polymer formulation for the ultimate in bonding and sealing. Does not contain solvents so will never crack or shrink. Can be applied on wet surfaces, painted or moulded. Very high bond strength with resistance to fungal and bacterial growth.

12 **Conduit Accessories**
A full range of conduit accessories to protect wiring and enhance the overall efficiency of electrical systems.

18 **Pre-Insulated Terminals**
Rings, push-ons, spades, blades, butts, pins, heat shrink butts, bullets, available in red, blue & yellow.

21 **Bootlace Ferrules**
Available in a range of sizes with bell mouth cable entry.

22 **Copper Tube Terminals**
Available in a range of sizes with bell mouth cable entry.

25 **Cable Ties & Accessories**
Nylon and metal content cable ties available in a range of sizes and made to the highest of quality.

32 **Heat Shrink And Sleeving**
Masonry fixings for cable ties. PVC sleeving & PVC heat shrink sleeving

33 **Cable Glands**
Industrial brass glands and IP68 nylon glands available in a range of sizes.

40 **Insulating Tapes**
General purpose non-migratory plasticised insulation tape.

41 **Connectors & Terminals**
Push in connectors, lever connectors and terminal blocks.



42 **Q-Nect Range**
Strong, quick and reliable solutions. Lever connectors and IP connection boxes.

45 **Cable Clips**
Available in a range of colours and sizes.

47 **Grommets & Cleats**
Quick fit grommets and standard grommets, available in a range of sizes.

48 **Q-Fire Range**
A range of tested and approved fire rated clips, ties, mounts, fixings and expanding foam.

56 **Fixings**
Wall plugs, fixings, bolts, screws, toggles & nuts/washers.

71 **OB1 Sealant & Adhesive**
Multi-surface construction sealant & adhesive available in 9 different colours. Also available are paint & varnish remover and multi-surface cleaner.

73 **Adhesives**
Silicone adhesives, fillers and expanding foams.

75 **Earthing & Accessories**
Earth rods, couplers, driving studs, clamps and inspection pits, earth clamps, torque driver set & lock off kits.

77 **Customer Support**
Sales Office and in-house studio.
All Unicrimp marketing material available to download.

call: 01827 300600 **email:** sales@unicrimp.com **visit:** www.unicrimp.com UNICRIMP 10

Q-CRIMP

Cable & Wire Accessories

Smart solutions for every job.

Our Q-Crimp range is designed to make every installation easier and more reliable. With a focus on quality and convenience, our range provides dependable solutions that save time and keep projects moving forward.

www.unicrimp.com

Conduit Accessories

Q-CRIMP

Conduit Boxes

Part Number	Description	Pack Qty
QCB120G	20mm 1 Way Galvanised Conduit Box	10
QCB125G	25mm 1 Way Galvanised Conduit Box	10
QCB220G	20mm 2 Way Galvanised Conduit Box	10
QCB225G	25mm 2 Way Galvanised Conduit Box	10
QCB320G	20mm 3 Way Tee Galvanised Conduit Box	10
QCB325G	25mm 3 Way Tee Galvanised Conduit Box	10
QCB420G	20mm 4 Way Galvanised Conduit Box	10
QCB425G	25mm 4 Way Galvanised Conduit Box	10
QCBA220G	20mm 2 Way Angle Galvanised Conduit Box	10
QCBA225G	25mm 2 Way Angle Galvanised Conduit Box	10
QCBH420G	20mm 4 Way 'H' Galvanised Conduit Box	10
QCBH425G	25mm 4 Way 'H' Galvanised Conduit Box	10
QCBTA220G	20mm 2 Way Tangent Angle Galvanised Conduit Box	10
QCBTT320G	20mm 3 Way Tangent Tee Galvanised Conduit Box	10
QCBU220G	20mm 2 Way 'U' Galvanised Conduit Box	10
QCBU225G	25mm 2 Way 'U' Galvanised Conduit Box	10
QCBY320G	20mm 3 Way 'Y' Galvanised Conduit Box	10
QCBY325G	25mm 3 Way 'Y' Galvanised Conduit Box	10

Back Outlet Terminals

Part Number	Description	Pack Qty
QBO120G	20mm 1 Way Galvanised Back Outlet Terminal	10
QBO125G	25mm 1 Way Galvanised Back Outlet Terminal	10
QBO220G	20mm 2 Way Galvanised Through Back Outlet	10
QBO225G	25mm 2 Way Galvanised Through Back Outlet	10
QBOA220G	20mm 2 Way Angle Galvanised Back Outlet	10
QBOA225G	25mm 2 Way Angle Galvanised Back Outlet	10

Back Outlets

Part Number	Description	Pack Qty
QBO20G	20mm Galvanised Back Outlet	10
QBO25G	25mm Galvanised Back Outlet	10

Extension Terminals

Part Number	Description	Pack Qty
QET120G	20mm 1W Galvanised Extension Terminal	10
QET220G	20mm 2W Galvanised Through Extension	10
QET320G	20mm 3W Galvanised Extension Tee	10
QETA220G	20mm 2W Angle Galvanised Extension	10

Extension Rings

Part Number	Description	Pack Qty
QER20G	20mm BZP Extensions Ring	10
QER25G	25mm BZP Extensions Ring	10

Loop in Boxes

Part Number	Description	Pack Qty
QLB1G	1 Hole BZP Loop In Box	10
QLB2G	2 Hole BZP Loop In Box	10
QLB3G	3 Hole BZP Loop In Box	10
QLB4G	4 Hole BZP Loop In Box	10

Steel Lids

Part Number	Description	Pack Qty
QHGL	Heavy Gauge BZP Steel Lid	50
QLGL	Light Gauge BZP Steel Lid	100



Conduit Rubber Gasket

Part Number	Description	Pack Qty
QCRG	Conduit Box Rubber Gasket	100

Screwed Metal Hook

Part Number	Description	Pack Qty
QMH20G	Screwed Metal Hook	25

Conduit Accessories

Light Gauge Saddles

Part Number	Description	Pack Qty
QLGS20G	20mm Light Gauge Plain BZP Saddle	100
QLGS25G	25mm Light Gauge Plain BZP Saddle	100

Distance Spacers

Part Number	Description	Pack Qty
QDS20G	20mm BZP/Galvanised Distance Saddle	50
QDS25G	25mm BZP/Galvanised Distance Saddle	50

Dome Covers

Part Number	Description	Pack Qty
QDC20G	20mm BZP Dome Cover	25
QDC25G	25mm BZP Dome Cover	25

Ball and Socket Covers

Part Number	Description	Pack Qty
QBSC20G	20mm Galvanised Ball & Socket Cover	10
QBSC25G	25mm Galvanised Ball & Socket Cover	10

Light Gauge Lock Nuts

Part Number	Description	Pack Qty
QLN20G	20mm BZP Light Gauge Lock Nut	100
QLN25G	25mm BZP Light Gauge Lock Nut	100

Milled Edge Lock Rings

Part Number	Description	Pack Qty
QLR20G	20mm BZP Milled Edge Lockring	100
QLR25G	25mm BZP Milled Edge Lockring	100

Crampets

Part Number	Description	Pack Qty
QCF20G	20mm BZP Flat Crampet	100
QCF25G	25mm BZP Flat Crampet	100
QCT20G	20mm BZP Twisted Crampet	100
QCT25G	25mm BZP Twisted Crampet	100

Adaptors

Part Number	Description	Pack Qty
QFA2034G	20mm Female x 3/4" Male BZP Adaptor	10
QFA3420G	3/4" Female x 20mm Male BZP Adaptor	10

Flange Couplers

Part Number	Description	Pack Qty
QFC20G	20mm BZP Flange Coupler	25
QFC25G	25mm BZP Flange Coupler	25

Earth Couplers

Part Number	Description	Pack Qty
QEC20G	20mm BZP Earth Coupler	100
QEC25G	25mm BZP Earth Coupler	50

Hexagon Reducers

Part Number	Description	Pack Qty
QHR2016G	20-16mm BZP Hexagon Reducer	50
QHR2520G	25-20mm BZP Hexagon Reducer	50
QHR3220G	32-20mm BZP Hexagon Reducer	25
QHR3225G	32-25mm BZP Hexagon Reducer	25

Hexagon Stopping Plugs

Part Number	Description	Pack Qty
QHSP20G	20mm BZP Hexagon Stopping Plug	100
QHSP25G	25mm BZP Hexagon Stopping Plug	50

Inspection Tee

Part Number	Description	Pack Qty
QIT20G	20mm Galvanised Inspection Tee	20
QIT25G	25mm Galvanised Inspection Tee	10

Solid Couplers

Part Number	Description	Pack Qty
QSC20G	20mm BZP Solid Coupler	100
QSC25G	25mm BZP Solid Coupler	50

Solid Elbows

Part Number	Description	Pack Qty
QSE20G	20mm Galvanised Solid Elbow	20
QSE25G	25mm Galvanised Solid Elbow	20

Inspection Elbow

Part Number	Description	Pack Qty
QIE20G	20mm Galvanised Inspection Elbow	20
QIE25G	25mm Galvanised Inspection Elbow	20

Normal Bends

Part Number	Description	Pack Qty
QNB20G	20mm BZP Normal Bend	10
QNB25G	25mm BZP Normal Bend	10

Inspection Bends

Part Number	Description	Pack Qty
QIB20G	20mm Galvanised Inspection Bend	10
QIB25G	25mm Galvanised Inspection Bend	10

Conduit Accessories

Brass Short Pattern Male Bushes

Part Number	Description	Pack Qty
QMSB20	20mm Brass Short Pattern Male Bush	50
QMSB25	25mm Brass Short Pattern Male Bush	50

Brass Slotted Plugs

Part Number	Description	Pack Qty
QSP20	20mm Brass Slotted Plug	50
QSP25	25mm Brass Slotted Plug	50

Brass Stuffing Glands

Part Number	Description	Pack Qty
QTRSG20	20mm T.R.S Brass Stuffing Gland	75
QTRSG25	25mm T.R.S Brass Stuffing Gland	50

Brass Female Bushes

Part Number	Description	Pack Qty
QFB20	20mm Brass Female Bush	50
QFB25	25mm Brass Female Bush	50

Brass Long Pattern Male Bushes

Part Number	Description	Pack Qty
QMLB20	20mm Brass Long Pattern Male Bush	50
QMLB25	25mm Brass Long Pattern Male Bush	50
QMLB32	32mm Brass Long Pattern Male Bush	50
QMLB38	38mm Brass Long Pattern Male Bush	50

Pre-Insulated Terminals

Ring

Part Number	Stud Size (mm)	Pack Qty
QRR3	3	100
QRR37	3.7	100
QRR4	4	100
QRR5	5	100
QRR6	6	100
QRR8	8	100
QRR10	10	100
QRR12	12	100

Cable Size Range (mm): 0.5 to 1.5
Current Rating (A):19(Max) Voltage (V): 600(Max)

Male Push-on

Part Number	Tab Size (mm)	Pack Qty
QRPO28M5	2.8 x 0.5	100
QRPO28M8	2.8 x 0.8	100
QRPO48M5	4.8 x 0.5	100
QRPO48M8	4.8 x 0.8	100
QRPO63M	6.3 x 0.8	100

Cable Size Range (mm): 0.5 to 1.5
Current Rating (A):10(Max) Voltage (V): 600(Max)

Female Push-on

Part Number	Tab Size (mm)	Pack Qty
QRPO28F5	2.8 x 0.5	100
QRPO28F8	2.8 x 0.8	100
QRPO48F5	4.8 x 0.5	100
QRPO48F8	4.8 x 0.8	100
QRPO63F	6.3 x 0.8	100

Cable Size Range (mm): 0.5 to 1.5
Current Rating (A):10(Max) Voltage (V): 600(Max)

Spade

Part Number	Tab Size (mm)	Pack Qty
QRF3	3	100
QRF3N	3.5	100
QRF4N	4	100
QRF5	5	100
QRF6	6	100

Cable Size Range (mm): 0.5 to 1.5
Current Rating (A): 19(Max) Voltage (V): 600(Max)

Female Push-on Fully Insulated

Part Number	Tab Size (mm)	Pack Qty
QRFPO28F5	2.8 x 0.5	100
QRFPO28F8	2.8 x 0.8	100
QRFPO48F5	4.8 x 0.5	100
QRFPO48F8	4.8 x 0.8	100
QRFPO63F	6.3 x 0.8	100

Cable Size Range (mm): 0.5 to 1.5
Current Rating (A): 10(Max) Voltage (V): 600(Max)

Blade

Part Number	Dia x Length (mm)	Pack Qty
QRBL10	2.3 x 10	100
QRBL14	2.3 x 14	100
QRBL18	2.3 x 18	100

Cable Size Range (mm): 0.5 to 1.5
Current Rating (A): 19(Max) Voltage (V): 600(Max)

Butt Splice

Part Number	Pack Qty
QRB	100

Cable Size Range (mm): 0.5 to 1.5
Current Rating (A): 10(Max) Voltage (V): 600(Max)

Piggy Back Push-on Connector

Part Number	Tab Size (mm)	Pack Qty
QRPOA63	6.3 x 0.8	100

Cable Size Range (mm): 0.5 to 1.5
Current Rating (A): 10(Max) Voltage (V): 600(Max)

Pin

Part Number	Dia x Length (mm)	Pack Qty
QRP12	1.9 x 12	100

Cable Size Range (mm): 0.5 to 1.5
Current Rating (A): 19(Max) Voltage (V): 600(Max)

Heat Shrink Butt

Part Number	Pack Qty
QHSB1	100

Cable Size Range (mm): 0.5 to 1.5
Current Rating (A): 19(Max) Voltage (V): 600(Max)

Male Bullet

Part Number	Bullet Dia (mm)	Pack Qty
QRAB4M	4	100

Cable Size Range (mm): 0.5 to 1.5
Current Rating (A): 10(Max) Voltage (V): 600(Max)

Female Bullet

Part Number	Bullet Dia (mm)	Pack Qty
QRAB4F	4	100

Cable Size Range (mm): 0.5 to 1.5
Current Rating (A):10(Max) Voltage (V): 600(Max)

Pre-Insulated Terminals

Ring

Part Number	Stud Size (mm)	Pack Qty
QBR3	3	100
QBR37	3.7	100
QBR4	4	100
QBR5	5	100
QBR6	6	100
QBR8	8	100
QBR10	10	100
QBR12	12	100

Cable Size Range (mm): 1.5 to 2.5
Current Rating (A): 24(Max) Voltage (V): 600(Max)

Male Push-on

Part Number	Tab Size (mm)	Pack Qty
QBPO48M5	4.8 x 0.5	100
QBPO48M8	4.8 x 0.8	100
QBPO63M	6.3 x 0.8	100

Cable Size Range (mm): 1.5 to 2.5
Current Rating (A): 15(Max) Voltage (V): 600(Max)

Female Push-on

Part Number	Tab Size (mm)	Pack Qty
QBPO48F5	4.8 x 0.5	100
QBPO48F8	4.8 x 0.8	100
QBPO63F	6.3 x 0.8	100
QBPO85F	8.5 x 0.8	100

Cable Size Range (mm): 1.5 to 2.5
Current Rating (A): 15(Max) Voltage (V): 600(Max)

Spade

Part Number	Tab Size (mm)	Pack Qty
QBF3	3	100
QBF3N	3.5	100
QBF4N	4	100
QBF5	5	100
QBF6	6	100

Cable Size Range (mm): 1.5 to 2.5
Current Rating (A): 24(Max) Voltage (V): 600(Max)

Female Push-on Fully Insulated

Part Number	Tab Size (mm)	Pack Qty
QBFPO48F5	4.8 x 0.5	100
QBFPO48F8	4.8 x 0.8	100
QBFPO63F	6.3 x 0.8	100

Cable Size Range (mm): 1.5 to 2.5
Current Rating (A): 15(Max) Voltage (V): 600(Max)

Blade

Part Number	Dia x Length (mm)	Pack Qty
QBBL9	2.8 x 9	100
QBBL18	2.2 x 18	100

Cable Size Range (mm): 1.5 to 2.5
Current Rating (A): 24(Max) Voltage (V): 600(Max)

Butt

Part Number	Pack Qty
QBB	100

Cable Size Range (mm): 1.5 to 2.5
Current Rating (A): 15(Max) Voltage (V): 600(Max)

Piggy Back Push-on Connector

Part Number	Tab Size (mm)	Pack Qty
QBPOA63	6.3 x 0.8	100

Cable Size Range (mm): 1.5 to 2.5
Current Rating (A): 15(Max) Voltage (V): 600(Max)

Pin

Part Number	Dia x Length (mm)	Pack Qty
QBP12	1.9 x 12	100

Cable Size Range (mm): 1.5 to 2.5
Current Rating (A): 27(Max) Voltage (V): 600(Max)

Heat Shrink Butt



Part Number	Pack Qty
QHSB2	100

Cable Size Range (mm): 1.5 to 2.5
Current Rating (A): 27(Max) Voltage (V): 600(Max)

Male Bullet

Part Number	Bullet Dia (mm)	Pack Qty
QBAB4M	4	100
QBAB5M	5	100

Cable Size Range (mm): 1.5 to 2.5
Current Rating (A): 15(Max) Voltage (V): 600(Max)

Female Bullet

Part Number	Bullet Dia (mm)	Pack Qty
QBAB4F	4	100
QBAB5F	5	100

Cable Size Range (mm): 1.5 to 2.5
Current Rating (A): 15(Max) Voltage (V): 600(Max)

Pre-Insulated Terminals

Ring

Part Number	Stud Size (mm)	Pack Qty
QYR4	4	100
QYR5	5	100
QYR6	6	100
QYR8	8	100
QYR10	10	100
QYR12	12	100

Cable Size Range (mm): 2.5 to 4
Current Rating (A): 37(Max) Voltage (V): 600(Max)

Male Push-on

Part Number	Tab Size (mm)	Pack Qty
QYPO63M	6.3 x 0.8	100

Cable Size Range (mm): 2.5 to 4
Current Rating (A): 24(Max) Voltage (V): 600(Max)

Female Push-on

Part Number	Tab Size mm	Pack Qty
QYPO63F	6.3 x 0.8	100
QYPO95F	9.4 x 1.2	100

Cable Size Range (mm): 2.5 to 4
Current Rating (A): 24(Max) Voltage (V): 600(Max)

Spade

Part Number	Stud Size (mm)	Pack Qty
QYF3N	3.5	100
QYF4N	4	100
QYF5	5	100
QYF6	6	100

Cable Size Range (mm): 2.5 to 4
Current Rating (A): 37(Max) Voltage (V): 600(Max)

Female Push-on Fully Insulated

Part Number	Tab Size mm	Pack Qty
QYFPO63F	6.3 x 0.8	100
QYFPO95F	9.4 x 1.2	100

Cable Size Range (mm): 2.5 to 4
Current Rating (A): 24(Max) Voltage (V): 600(Max)

Blade

Part Number	Dia x Length mm	Pack Qty
QYBL10	2.8 x 10	100
QYBL18	4.5 x 18	100

Cable Size Range (mm): 2.5 to 4
Current Rating (A): 37(Max) Voltage (V): 600(Max)

Butt

Part Number	Pack Qty
QYB	100

Cable Size Range (mm): 2.5 to 4
Current Rating (A): 24(Max) Voltage (V): 600(Max)

Piggy Back Push-on Connector

Part Number	Tab Size (mm)	Pack Qty
QYPOA63	6.3 x 0.8	100

Cable Size Range (mm): 2.5 to 4
Current Rating (A): 24(Max) Voltage (V): 600(Max)

Pin

Part Number	Dia x Length (mm)	Pack Qty
QYP14	2.9 x 14	100

Cable Size Range (mm): 2.5 to 4
Current Rating (A): 37(Max) Voltage (V): 600(Max)

Heat Shrink Butt

Part Number	Pack Qty
QHSB5	100

Cable Size Range (mm): 2.5 to 4
Current Rating (A): 37(Max) Voltage (V): 600(Max)

Male Bullet

Part Number	Bullet Dia mm	Pack Qty
QYAB5M	5	100

Cable Size Range (mm): 2.5 to 4
Current Rating (A): 24(Max) Voltage (V): 600(Max)

Female Bullet

Part Number	Bullet Dia mm	Pack Qty
QYAB5F	5	100

Cable Size Range (mm): 2.5 to 4
Current Rating (A): 24(Max) Voltage (V): 600(Max)

Bootlace Ferrules

Bootlace Ferrule

Part Number	Description	Cable Size (mm^2)	Ferrule Length (mm)	Ferrule Diameter (mm)	Colour (French code)	Pack Qty
QBFR05	Bootlace Ferrule Single 0.5mm	0.5	8	1.05	White	100
QBFR075	Bootlace Ferrule Single 0.75mm	0.75	8	1.25	Blue	100
QBFR1	Bootlace Ferrule Single 1.0mm	1	8	1.45	Red	100
QBFR15	Bootlace Ferrule Single 1.5mm	1.5	8	1.8	Black	100
QBFR25	Bootlace Ferrule Single 2.5mm	2.5	8	2.3	Grey	100
QBFR4	Bootlace Ferrule Single 4mm	4	10	2.9	Orange	100
QBFR6	Bootlace Ferrule Single 6.0mm	6	12	3.6	Green	100
QBFR10	Bootlace Ferrule Single 10mm	10	12	4.6	Brown	100

QDBFR05	Bootlace Ferrule Double 0.5mm	0.5	8	1.8	White	100
QDBFR075	Bootlace Ferrule Double 0.75mm	0.75	8	2.1	Blue	100
QDBFR1	Bootlace Ferrule Double 1.0mm	1	8	2.3	Red	100
QDBFR15	Bootlace Ferrule Double 1.5mm	1.5	8	2.6	Black	100
QDBFR25	Bootlace Ferrule Double 2.5mm	2.5	10	3.3	Grey	100
QDBFR4	Bootlace Ferrule Double 4mm	4	12	4.2	Orange	100
QDBFR6	Bootlace Ferrule Double 6.0mm	6	14	5.3	Green	100
QDBFR10	Bootlace Ferrule Double 10mm	10	14	6.9	Brown	100



Copper Tube Terminals

Copper Tube Terminals

Specification Requirements

- Finish: Electro tinned
- Copper conductivity to 97% IACS
- Copper tube double annealed
- All terminals up to 240mm² will have bell mouth cable entrance
- Working temperature up to 180°C (Standard)
- IEC 60228, Class 1 & 2



Part Number	Cable Size (mm^2)	Stud Size (mm)	ØA (mm)	B (mm)	D (mm)	ØE (mm)	F (mm)	G (mm)	H (mm)	J (mm)	K (mm)	Pack Qty
QCT015-3	1.5	3	1.8	5	8	3.2	1	4	5	16	2	25
QCT015-4	1.5	4	1.8	5	8	4.2	1	4	5	16	2	25
QCT015-5	1.5	5	1.8	5	8	5.2	1	4	5	16	2	25
QCT025-3	2.5	3	2.4	5	8	3.2	1	4	7	18	2	25
QCT025-4	2.5	4	2.4	5	8	4.2	1	4	7	18	2	25
QCT025-5	2.5	5	2.4	6	10	5.2	0.8	4	7	20	2	25
QCT025-6	2.5	6	2.4	9	10	6.5	0.8	4	7	21.5	1.5	25
QCT04-6	4	6	3.1	6	4.8	6.5	1.1	5	7	20	2	25
QCT04-8	4	8	3.1	9	12	8.2	1	6	7	24	2	25
QCT04-10	4	10	3.1	11	15	10.2	0.8	8	7	28	2	25
QCT06-4	6	4	3.8	6	10	4.2	1.2	5	9	23	3	25
QCT06-5	6	5	3.8	6	10	5.2	1.2	5	9	23	3	25
QCT06-6	6	6	3.8	9	12	6.5	1	6	9	27	3	25
QCT06-8	6	8	3.8	9	12	8.4	1	6	9	27	3	25
QCT06-10	6	10	3.8	11	15	10.2	1	8	9	31	3	25
QCT10-5	10	5	4.5	5	8.7	5.2	1.42	4	12	24	3	10
QCT10-6	10	6	4.5	6	12	6.2	1.3	5	12	26	3	10
QCT10-8	10	8	4.5	9	12	8.4	1.03	6	12	30	3	10
QCT10-10	10	10	4.5	10	19	10.5	1.8	10	12	35	3	10
QCT10-12	10	12	4.5	12	19	13	1.8	12	12	39	3	10
QCT16-6	16	6	5.5	9	11	6.5	1.4	5	15	33	4	10
QCT16-8	16	8	5.5	9	11	8.4	1.31	6	15	34	4	10
QCT16-10	16	10	5.5	10	19	10.3	1.8	10	15	39	4	10
QCT16-12	16	12	5.5	12	19	13	1.8	12	15	43	4	10
QCT25-5	25	5	7	6	12.6	5.2	2	5	15	30	4	5
QCT25-6	25	6	7	6	12.6	6.5	2	5	15	30	4	5
QCT25-8	25	8	7	9	16	8.4	1.6	6	15	34	4	5
QCT25-10	25	10	7	10	17.5	10.5	1.5	10	15	39	4	5
QCT25-12	25	12	7	12	17.5	13	1.5	12	15	43	4	5

Copper Tube Terminals

Part Number	Cable Size (mm²)	Stud Size (mm)	ØA (mm)	B (mm)	D (mm)	ØE (mm)	F (mm)	G (mm)	H (mm)	J (mm)	K (mm)	Pack Qty
QCT35-6	35	6	8.6	8	15.7	6.4	2.2	8	18	39	5	5
QCT35-8	35	8	8.6	8	15.7	8.4	2.2	8	18	39	5	5
QCT35-10	35	10	8.6	11	16.2	10.5	2	9	18	43	5	5
QCT35-12	35	12	8.6	10.8	18	13	1.8	9.2	18	43	5	5
QCT50-6	50	6	9.6	8.5	17.4	6.4	2.4	8.5	23	46	6	5
QCT50-8	50	8	9.6	8.5	17.4	8.4	2.4	8.5	23	46	6	5
QCT50-10	50	10	9.6	10	17.4	10.5	2.4	10	23	49	6	5
QCT50-12	50	12	9.6	13	17.2	13	2.4	12	23	54	6	5
QCT70-6	70	6	11.2	13	22	6.5	3	11	23	53	6	5
QCT70-8	70	8	11.2	11	22	8.4	3	11	23	52	7	5
QCT70-10	70	10	11.2	11	21.5	10.5	3	11	23	52	7	5
QCT70-12	70	12	11.2	11	21.5	13	3	11	23	52	7	5
QCT70-14	70	14	11.2	12.5	25	15	3	12.5	23	55	7	5
QCT95-8	95	8	13.5	12	21.5	8.4	3.9	12	30	63	9	5
QCT95-10	95	10	13.5	12	25	10.5	3.9	12	30	63	9	5
QCT95-12	95	12	13.5	12	25	13	3.9	12	30	63	9	5
QCT95-14	95	14	13.5	14	28	4.7	3.9	14	30	67	9	5
QCT95-16	95	16	13.5	16	28	17	3.9	16	30	71	9	5
QCT120-8	120	8	15	12	27.5	8.4	3.9	12	25	59	10	5
QCT120-10	120	10	15	12	27.5	10.5	3.9	12	25	59	10	5
QCT120-12	120	12	15	12	27.5	13	3.9	12	25	59	10	5
QCT120-14	120	14	15	15	27.5	15	3.9	15	25	65	10	5
QCT120-16	120	16	15	15	27.5	17	3.9	15	25	65	10	5
QCT120-20	120	20	15	15	27.5	21	3.9	15	25	65	10	5
QCT150-8	150	8	16.5	14	30	8.4	4.38	14	26	65	11	5
QCT150-10	150	10	16.5	14	30	10.5	4.38	14	26	65	11	5
QCT150-12	150	12	16.5	14	30	13	4.38	14	26	65	11	5
QCT150-14	150	14	16.5	14	30	15	4.38	14	27	69	11	5
QCT150-16	150	16	16.5	16	30	17	4.38	16	27	77	11	5
QCT150-20	150	20	16.5	20	30	21	4.38	17	27	77	11	5
QCT185-10	185	10	19	14	34	10.5	4	14	30	68	12	5
QCT185-12	185	12	19	14	34	13	4	14	30	68	12	5
QCT185-14	185	14	19	14	34	15	4	14	30	68	12	5
QCT185-16	185	16	19	16	34	17	4	16	28	72	12	5
QCT185-20	185	20	19	18	34	21	4	18	28	76	12	5
QCT240-10	240	10	21	15	37.6	10.5	5	15	33	77	14	5
QCT240-12	240	12	21	15	37.6	13	5	15	33	77	14	5
QCT240-14	240	14	21	15	37.6	15	5	15	33	77	14	5
QCT240-16	240	16	21	19	37.6	17	5	19	33	85	14	5

Copper Tube Terminals

Copper Tube Narrow Palm Lug



Part Number	Cable Size (mm²)	Stud Size (mm)	ØA (mm)	B (mm)	C (mm)	D (mm)	ØE (mm)	F (mm)	G (mm)	H (mm)	Pack Qty
QCTNP35-6	35	6	8.6	18	10.8	11.5	6.5	2.3	17	43	10
QCTNP50-6	50	6	9.6	21	11.8	11.8	6.5	2.6	17	44	10
QCTNP70-6	70	6	11.2	21	14.7	16	6.5	4	17	45	10
QCTNP70-8	70	8	11.2	21	14.7	16	8.4	4	17	45	10
QCTNP95-8	95	8	13.5	26	16.5	16.5	8.4	3.7	20	55	10
QCTNP120-8	120	8	15	26	19	19	8.4	4.8	23	59	10
QCTNP120-10	120	10	15	26	19	19	10.5	4.8	23	59	10
QCTNP150-8	150	8	16.5	27	21	21	8.4	5.7	26	67	10

Copper Tube Butt Splices

Part Number	Description	Length (mm)	Outer Diameter (mm)	Max Cable Dia. (mm²)	Pack Qty
QB1-5	Copper Butt Splice Terminal 1.5mm²	12	3.7	1.8	25
QB2-5	Copper Butt Splice Terminal 2.5mm²	15	4	2.3	25
QB4-6	Copper Butt Splice Terminal 4-6mm²	15	5.5	3.8	25
QB10	Copper Butt Splice Terminal 10mm²	20	6	4.5	10
QB16	Copper Butt Splice Terminal 16mm²	20	6.8	5.5	10
QB25	Copper Butt Splice Terminal 25mm²	32	8.8	6.8	5
QB35	Copper Butt Splice Terminal 35mm²	36	10.8	8.6	5
QB50	Copper Butt Splice Terminal 50mm²	40	12	9.6	5
QB70	Copper Butt Splice Terminal 70mm²	40	14.7	11.2	5
QB95	Copper Butt Splice Terminal 95mm²	45	17.5	13.5	5
QB120	Copper Butt Splice Terminal 120mm²	45	19	15	5
QB150	Copper Butt Splice Terminal 150mm²	55	21	16.5	5
QB185	Copper Butt Splice Terminal 185mm²	65	23.5	19	5
QB240	Copper Butt Splice Terminal 240mm²	80	26	21	5

Note 1
Blank terminal palms are available from 10mm² to 240mm².

Note 2
When using flexible fine strand or welding cable it may be necessary to select the next larger terminal size, i.e. 70mm² fine strand, select 95mm² terminal.

Performance tested.

Our cable ties hold up to 113.5kg, delivering strength and reliability that leave competitors behind.

Cable Ties

Unicrimp® Cable Ties are produced on multi-impression tools which mould complete one piece ties with no metal parts.

They are manufactured from tough durable Nylon 6/6 which has been tested to underwriters laboratory UL94V2. The material is zero halogenated and also has a low smoke and fume capability when compared with materials such as PVC, PP, PE, ABS, POM, ect.

The classified oxygen index at max 28% dry is considered excellent in halogen free and L.S.F. situations.

These specifications include for the performance testing requirements with regard to flammability, tensile strength, vibration, corrosion, etc., and in be tensioned by hand or by the use of applied tensioning tools.

All general specification details are incorporated as indicated in Table 'A' and for any additional information please contact our offices.

Table A		Test Method
Material	Nylon 6/6	
Working Temperature Range	-40°C to 85°	
UL Flammability Rating	UL94	V2
Oxygen Index	25% - 28%	
Smoke Density	Flaming 35 Non Flaming 13	
Water Absorption (24 hours)	1.3%	

Loop Tensile Strength	(kgs)
Miniature	8.1kgs
Intermediate	18.2kgs
Standard	22.2kgs
Light Heavy	54.5kgs
Heavy	79.4kgs
Extra Heavy	113.5kgs

Miniature Range

Part Number	Colour	Length (mm)	Width (mm)	Bundle Dia. (mm)	Min. Strength (Kg)	Pack Qty
QT80M	Natural	80	2.5	2 - 14	8.1	100
QTB80M	Black	80	2.5	2 - 14	8.1	100
QT100M	Natural	100	2.5	3 - 20	8.1	100
QTB100M	Black	100	2.5	3 - 20	8.1	100
QTBL100M	Blue	100	2.5	3 - 20	8.1	100
QTG100M	Green	100	2.5	3 - 20	8.1	100
QTR100M	Red	100	2.5	3 - 20	8.1	100
QTY100M	Yellow	100	2.5	3 - 20	8.1	100
QT120M	Natural	120	2.5	3 - 25	8.1	100
QTB120M	Black	120	2.5	3 - 25	8.1	100
QT165M	Natural	165	2.5	4 - 39	8.1	100
QTB165M	Black	165	2.5	4 - 39	8.1	100
QT200M	Natural	200	2.5	4 - 50	8.1	100
QTB200M	Black	200	2.5	4 - 50	8.1	100

Metal Content Range

Part Number	Colour	Length (mm)	Width (mm)	Bundle Dia. (mm)	Min. Strength (Kg)	Pack Qty
QMCTBL150I	Blue	150	3.6	3 - 33	11	100
QMCTBL200S	Blue	200	4.6	5 - 47	15	100
QMCTBL280S	Blue	280	4.8	7 - 70	15	100
QMCTBL385S	Blue	385	4.8	7 - 101	15	100

Cable Ties

Standard Range

Part Number	Colour	Length (mm)	Width (mm)	Bundle Dia. (mm)	Min. Strength (Kg)	Pack Qty
QT120S	Natural	120	4.8	6 - 24	22.2	100
QTB120S	Black	120	4.8	6 - 24	22.2	100
QT160S	Natural	160	4.8	5 - 35	22.2	100
QTB160S	Black	160	4.8	5 - 35	22.2	100
QT190S	Natural	190	4.8	4 - 45	22.2	100
QTB190S	Black	190	4.8	4 - 45	22.2	100
QT200S	Natural	200	4.8	5 - 47	22.2	100
QTB200S	Black	200	4.8	5 - 47	22.2	100
QTBL200S	Blue	200	4.8	5 - 47	22.2	100
QTG200S	Green	200	4.8	5 - 47	22.2	100
QTR200S	Red	200	4.8	5 - 47	22.2	100
QTY200S	Yellow	200	4.8	5 - 47	22.2	100
QT250S	Natural	250	4.8	5 - 62	22.2	100
QTB250S	Black	250	4.8	5 - 62	22.2	100
QT300S	Natural	300	4.8	7 - 76	22.2	100
QTB300S	Black	300	4.8	7 - 76	22.2	100
QTBL300S	Blue	300	4.8	7 - 76	22.2	100
QTG300S	Green	300	4.8	7 - 76	22.2	100
QTR300S	Red	300	4.8	7 - 76	22.2	100
QTS300S	Silver	300	4.8	7 - 76	22.2	100
QTY300S	Yellow	300	4.8	7 - 76	22.2	100
QT370S	Natural	370	4.8	7 - 96	22.2	100
QTB370S	Black	370	4.8	7 - 96	22.2	100
QTBL370S	Blue	370	4.8	7 - 96	22.2	100
QTG370S	Green	370	4.8	7 - 96	22.2	100
QTR370S	Red	370	4.8	7 - 96	22.2	100
QTS370S	Silver	370	4.8	7 - 96	22.2	100
QTY370S	Yellow	370	4.8	7 - 96	22.2	100
QT430S	Natural	430	4.8	7 - 115	22.2	100
QTB430S	Black	430	4.8	7 - 115	22.2	100

Cable Ties

Q-CRIMP®

Intermediate Range

Part Number	Colour	Length (mm)	Width (mm)	Bundle Dia. (mm)	Min. Strength (Kg)	Pack Qty
QT150I	Natural	150	3.6	3 - 33	18.2	100
QTB150I	Black	150	3.6	3 - 33	18.2	100
QTY150I	Yellow	150	3.6	3 - 33	18.2	100
QTBL150I	Blue	150	3.6	3 - 33	18.2	100
QTG150I	Green	150	3.6	3 - 33	18.2	100
QTR150I	Red	150	3.6	3 - 33	18.2	100
QT200I	Natural	200	3.6	5 - 47	18.2	100
QTB200I	Black	200	3.6	5 - 47	18.2	100
QT290I	Natural	290	3.6	7 - 75	18.2	100
QTB290I	Black	290	3.6	7 - 75	18.2	100
QT370I	Natural	370	3.6	7 - 96	18.2	100
QTB370I	Black	370	3.6	7 - 96	18.2	100

Releasable Ties

Releasable cable ties, designed to facilitate routine changes and repairs. Press tab for easy removal. Mountable head cable ties used to secure bundled harnesses to panels. They may also be pre mounted to existing installation before final assembly.

See 'Table A' on page 25 for full specification of nylon material.

Part Number	Colour	Length (mm)	Width (mm)	Bundle Dia. (mm)	Min. Strength (Kg)	Pack Qty
QT200RE	Natural	200	4.8	4 - 50	22.2	100
QTB200RE	Black	200	4.8	5 - 50	22.2	100
QT300RE	Natural	300	4.8	7 - 83	22.2	100
QTB300RE	Black	300	4.8	7 - 83	22.2	100
QT370RE	Natural	370	4.8	7 - 96	22.2	100
QTB370RE	Black	370	4.8	7 - 96	22.2	100

Extra Wide Ties

Designed for applications that require combined high strength fixing and a positive locking capability.
They are particularly suitable in difficult situations frequently found in Petro Chemical or Marine Industries.

Light Heavy Range

Part Number	Colour	Length (mm)	Width (mm)	Bundle Dia. (mm)	Min. Strength (Kg)	Pack Qty
QT150LH	○ Natural	150	7.6	5 - 29	54.5	100
QTB150LH	● Black	150	7.6	5 - 29	54.5	100
QT200LH	○ Natural	200	7.6	7 - 47	54.5	100
QTB200LH	● Black	200	7.6	7 - 47	54.5	100
QT300LH	○ Natural	300	7.6	8 - 73	54.5	100
QTB300LH	● Black	300	7.6	8 - 73	54.5	100
QT370LH	○ Natural	370	7.6	8 - 94	54.5	100
QTB370LH	● Black	370	7.6	8 - 94	54.5	100

Heavy Range

Part Number	Colour	Length (mm)	Width (mm)	Bundle Dia. (mm)	Min. Strength (Kg)	Pack Qty
QT450H	○ Natural	450	8	11 - 117	62	100
QTB450H	● Black	450	8	11 - 117	62	100
QT550H	○ Natural	550	8	15 - 147	62	100
QTB550H	● Black	550	8	15 - 147	62	100
QT760H	○ Natural	760	9	12 - 208	79.4	100
QTB760H	● Black	760	9	12 - 208	79.4	100
QT810H	○ Natural	810	9	12 - 223	79.4	100
QTB810H	● Black	810	9	12 - 223	79.4	100

Extra Heavy Range

Part Number	Colour	Length (mm)	Width (mm)	Bundle Dia. (mm)	Min. Strength (Kg)	Pack Qty
QT230XH	○ Natural	230	12.7	15 - 53	113.5	100
QTB230XH	● Black	230	12.7	15 - 53	113.5	100
QT280XH	○ Natural	280	12.7	15 - 67	113.5	100
QTB280XH	● Black	280	12.7	15 - 67	113.5	100
QT380XH	○ Natural	380	12.7	15 - 96	113.5	100
QTB380XH	● Black	380	12.7	15 - 96	113.5	100
QT480XH	○ Natural	480	12.7	15 - 126	113.5	100
QTB480XH	● Black	480	12.7	15 - 126	113.5	100
QT550XH	○ Natural	550	12.7	12 - 146	113.5	100
QTB550XH	● Black	550	12.7	12 - 146	113.5	100
QT730XH	○ Natural	730	12.7	15 - 214	113.5	100
QTB730XH	● Black	730	12.7	15 - 214	113.5	100
QT880XH	○ Natural	880	12.7	15 - 242	113.5	100
QTB880XH	● Black	880	12.7	15 - 242	113.5	100
QT1030XH	○ Natural	1030	12.7	15 - 285	113.5	100
QTB1030XH	● Black	1030	12.7	15 - 285	113.5	100

They are available in two colours, natural or black. See Table A (page 25) for full specification of nylon material.

Accessories

Unicrimp® accessories are designed to incorporate the majority of features applicable to the positioning of cable ties.

Self adhesive bases, cradles, eyelets and clamps are supplied and manufactured from A.B.S. or Nylon 6/6 material.

In case of self adhesive components the adhesive pads themselves have a base synthetic rubber foundation which when applied gives a high permanent bond to most surfaces. On all applications a dual option of bolt fixings is designed into the base as a preference if required.

Eyelets



Part Number	Colour	A (mm)	B (mm)	C (mm)	H (mm)	F - Cable Tie Max Width (mm)	Pack Qty
QTE	○ Natural	9.5	19	4.3	5	5	100
QTBE	● Black	9.5	19	4.3	5	5	100

Cradles



Part Number	Colour	A (mm)	B (mm)	C (mm)	H (mm)	F - Cable Tie Max Width (mm)	Pack Qty
QTC	○ Natural	16	23	5	9.8	9	100
QTBC	● Black	16	23	5	9.8	9	100

2 Way Cable Tie Base



Part Number	Colour	A (mm)	B (mm)	C (mm)	H (mm)	F - Cable Tie Max Width (mm)	Pack Qty
QTB12	○ Natural	18.9	18.9	4.8	4.6	4.2	100
QTB22	○ Natural	26.3	26.3	5	6	5.6	100
QTBB12	● Black	18.9	18.9	4.8	4.6	4.2	100
QTBB22	● Black	26.3	26.3	5	6	5.6	100

Cable Tie Accessories

Mounts

- Designed for heavy duty harnessing applications
- Self adhesive
- Provides fast, strong mounting system for securing cables



Part Number	Colour	A (mm)	B (mm)	C (mm)	D (mm)	Pack Qty
QTM5	○ Natural	19	10.4	4.9	4.9	100
QTM11	○ Natural	26.8	12.3	8.3	11	100
QTM17	○ Natural	25.5	15.8	13.3	17	100
QTMB5	● Black	19	10.4	4.9	4.9	100
QTMB11	● Black	26.8	12.3	8.3	11	100
QTMB17	● Black	25.5	15.8	13.3	17	100

Self Adhesive Clips

- Ideal for use on metal surfaces, engineering bricks, plastics or any flat, clean surface
- Save time and money—no drilling or nailing required
- Minimises dust, sparks, vibrations, noise for increased safety
- Ideal for use where holes on surfaces are not an option
- Adheres to many clean flat surfaces (steel, UPVC, aluminium, glass, RSJs, racking, single skin structures)

Self Adhesive

Save time and money. Just peel the sticker and apply to the area.





Part Number	Description	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	Cable Tie Width Max. (mm)	Pack Qty
QSAC15	Self Adhesive Clips 19.4 x 10 x 15mm	10	5	0.5	15	19.4	5	100
QSAC25	Self Adhesive Clips 25 x 15 x 25mm	15	5	0.5	25	25	5	100

Wall Plug Mount



Part Number	Description	A	B	C (Drill Dia.)	Pack Qty
QMM9	Wall Plugs Mounts Masonry Fixings For Cable Ties	9.4	41.8	8.5	100

Heat Shrink And Sleeving

Heat Shrink

- Shrink ratio 2:1

Part Number	Description	Inner Diameter (mm)	Length (mm)	Pack Qty
QHS4MP225	Multi-Colour Heat Shrink Pack 4.8mm X 225mm	4.8	225	1
QHS6MP225	Multi-Colour Heat Shrink Pack 6.4mm X 225mm	6.4	225	1
QHS9MP225	Multi-Colour Heat Shrink Pack 9.5mm X 225mm	9.5	225	1
QHS12MP225	Multi-Colour Heat Shrink Pack 12.7mm X 225mm	12.7	225	1
QHS19MP225	Multi-Colour Heat Shrink Pack 19.1mm X 225mm	19.1	225	1

Sleeving

Service Temperature Range: -25°C - +70°C.
Flammability: Self extinguishing in 30 seconds.

Part Number	Description	Inner Dia. (mm)	Colour	Pack Qty
QES2	PVC Sleeving 2mm x 100m	2	Green/Yellow	1
QES2BL	PVC Sleeving 2mm x 100m	2	Blue	1
QES2BR	PVC Sleeving 2mm x 100m	2	Brown	1
QES2BK	PVC Sleeving 2mm x 100m	2	Black	1
QES2GY	PVC Sleeving 2mm x 100m	2	Grey	1
QES2PK	PVC Sleeving 2mm x 100m	2	Pink	1
QES3	PVC Sleeving 3mm x 100m	3	Green/Yellow	1
QES3BL	PVC Sleeving 3mm x 100m	3	Blue	1
QES3BR	PVC Sleeving 3mm x 100m	3	Brown	1
QES3BK	PVC Sleeving 3mm x 100m	3	Black	1
QES3GY	PVC Sleeving 3mm x 100m	3	Grey	1
QES3PK	PVC Sleeving 3mm x 100m	3	Pink	1
QES4	PVC Sleeving 4mm x 100m	4	Green/Yellow	1
QES4BL	PVC Sleeving 4mm x 100m	4	Blue	1
QES4BR	PVC Sleeving 4mm x 100m	4	Brown	1
QES4BK	PVC Sleeving 4mm x 100m	4	Black	1
QES4GY	PVC Sleeving 4mm x 100m	4	Grey	1
QES4PK	PVC Sleeving 4mm x 100m	4	Pink	1
QES5	PVC Sleeving 5mm x 100m	5	Green/Yellow	1

Mixed Reel Sleeving

Part Number	Description	L/N Inner Dia. (mm)	Earth Inner Dia. (mm)	Length (m)	Blue	Brown	Green/Yellow	Pack Qty
QMXS1	PVC Sleeving 2mm x 100m (Multi-Colour Mixed Reel)	2	2	100	20m	20m	60m	1
QMXS223	PVC Sleeving 2mm x 100m (Multi-Colour Mixed Reel)	2	3	100	20m	20m	60m	1
QMXS334	PVC Sleeving 3mm x 100m (Multi-Colour Mixed Reel)	3	4	100	20m	20m	60m	1
QMXS3	PVC Sleeving 4mm x 60m (Multi-Colour Mixed Reel)	4	4	60	10m	10m	40m	1
QMXS445	PVC Sleeving 4mm x 60m (Multi-Colour Mixed Reel)	4	5	60	10m	10m	40m	1

CY/SY PVC Control Cable - CXT Glands

	GLAND SIZE									
Conductor Size	Number Of Cores									
CSA	2	3	4	5	7	12	18	25	34	42
0.50	20SS	20SS	20SS	20SS	20SS	-	-	-	-	-
0.75	20SS	20SS	20SS	20SS	20S	20S	20	25	-	-
1.00	20SS	20SS	20SS	20S	20S	20	25	25	32	-
1.50	20SS	20SS	20SS	20S	20S	20	25	25	32	32
2.50	20S	20S	20S	20S	20	25	-	-	-	-
4.00	20S	20S	20	20	-	-	-	-	-	-
6.00	-	-	20	25	-	-	-	-	-	-
10.00	-	-	25	-	-	-	-	-	-	-
16.00	-	-	32	-	-	-	-	-	-	-

CXT Cable Gland Size Chart - CY Cable

Part Number	Cable Size (mm^2)	NOM Dia. (mm)	Number of Cores
20S	0.5	7.1	2
20S	0.5	7.6	3
20S	0.5	8	4
20S	0.5	8.5	5
20S	0.5	9.3	7
20	0.5	11.5	12
20	0.5	13.4	18
25	0.5	15.8	25
20S	0.75	7.6	2
20S	0.75	7.8	3
20S	0.75	8.3	4
20S	0.75	8.9	5
20S	0.75	9.7	7
20	0.75	12.2	12
25	0.75	13.6	18
25	0.75	16.7	25
20S	1.0	8.2	2
20S	1.0	8.4	3
20S	1.0	8.8	4
20S	1.0	9.3	5
20S	1.0	9.9	7
20	1.0	12.5	12
25	1.0	14.5	18
25	1.0	17.9	25
20S	1.5	8.5	2
20S	1.5	8.7	3
20S	1.5	9.3	4
20S	1.5	9.9	5
20	1.5	12.4	7
25	1.5	13.7	12
25	1.5	16.8	18
32	1.5	19.8	25
20S	2.5	9.8	2
20S	2.5	10.1	3

Part Number	Cable Size (mm^2)	NOM Dia. (mm)	Number of Cores
20S	2.5	10.9	4
20	2.5	11.8	5
20	2.5	13	7
25	2.5	17.3	12
32	2.5	19.8	18
20	4.0	11.7	3
20	4.0	12.6	4
25	4.0	13.9	5
25	4.0	15.7	7
25	6.0	14.1	3
25	6.0	14.8	4
25	6.0	16.9	5
25	6.0	18.4	7
25	10	18.2	4
32	10	19.8	5
32	10	22.2	7
32	16	21.8	4
32	16	23.5	5
32	25	25.3	4
40	25	28.9	5
40	35	29.7	4
50	50	34.9	4

Due to cable diameter variances between manufacturers, we strongly advise the cable diameter is checked where possible, prior to purchasing the products.

CXT Cable Gland Size Chart - SY Cable

Part Number	Cable Size (mm^2)	NOM Dia. (mm)	Number of Cores
20S	0.5	7.4	3
20S	0.5	7.9	4
20S	0.5	8.6	5
20S	0.5	9.2	7
20	0.5	11.6	12
20	0.5	13.4	18
25	0.5	15.5	25
20S	0.75	7.2	2
20S	0.75	7.7	3
20S	0.75	8.3	4
20S	0.75	8.9	5
20S	0.75	9.7	7
20	0.75	12.1	12
25	0.75	15.3	18
25	0.75	16.8	25
20S	1.0	7.6	2
20S	1.0	8.1	3
20S	1.0	8.6	4
20S	1.0	9.7	5
20S	1.0	10.5	7
20	1.0	13.4	12
25	1.0	15.6	18
25	1.0	18.1	25

Part Number	Cable Size (mm^2)	NOM Dia. (mm)	Number of Cores
20S	1.5	8.6	2
20S	1.5	9.1	3
20S	1.5	10.1	4
20S	1.5	10.6	5
20	1.5	11.5	7
25	1.5	15.1	12
25	1.5	17.4	18
20S	2.5	10.4	3
20	2.5	11.3	4
20	2.5	12.9	5
25	2.5	13.9	7
25	4.0	13.5	4
25	4.0	14.8	5
25	6.0	15.9	4
25	6.0	17.4	5
32	10	19.1	4
32	10	22.6	5
32	16	22.3	4
50	25	32.5	4
50	35	35.6	4
50	50	38.7	4
50	70	43.8	4

Due to cable diameter variances between manufacturers, we strongly advise the cable diameter is checked where possible, prior to purchasing the products.

CXT Brass Glands

- Tested and approved to BS6121 Pt1
- Suitable for use with all types of screened flexible wire braid/wire braid armoured cables
- Supplied in kit form with shrouds, earth tags & steel locknuts
- Ingress Protection: IP66

Part Number	Description	Gland Size (mm)	Thread Length (mm)	Max Outer Cable Dia. (mm)	Max Inner Cable Dia. (mm)	Armour Wire Dia. (mm)	Pack Qty
QCXT20S	CXT Brass Gland Pack 20mm Small	20	10	11.5	8	0.15/0.35	2
QCXT20	CXT Brass Gland Pack 20mm	20	10	13.5	11	0.15/0.50	2
QCXT25	CXT Brass Gland Pack 25mm	25	10	19.5	16	0.15/0.50	2
QCXT32	CXT Brass Gland Pack 32mm	32	10	26.3	21	0.15/0.55	2
QCXT40	CXT Brass Gland Pack 40mm	40	15	29	23	0.20/0.60	1
QCXT50	CXT Brass Gland Pack 50mm	50	15	37	31.5	0.30/0.80	1
QCXT63	CXT Brass Gland Pack 63mm	63	15	50	42.5	0.30/0.80	1

Cable Gland Selection Chart

The gland sizes recommended in this chart are for guidance only and are based on cables manufactured to BS 5467.

Actual cable dimensions must be used for gland selection.

Cable Size	Single Core	2 Core	3 Core	4 Core	Number Of Cores							
					5	7	10	12	19	27	37	48
1.5	-	20S	20S	20S	20S	20	20	25	25	32	32	32
2.5	-	20S	20S	20S	20	20	25	25	25	32	40	40
4.0	-	20S	20S	20	20	20	25	25	32	40	40	50
6.0	-	20	20	20	20	25		32				
10.0	-	20	20	25	25	25						
16.0	-	25	25	25	25	32						
25.0	-	25	32	32	32							
35.0	-	32	32	32	40							
50.0	20	32	32	32	50							
70.0	20	32	32	40	50							
95.0	25	32	40	50S	63S							
120	25	40	50S	50	63S							
150	32	40	50S	50	63							
185	32	50S	50	63S								
240	32	50	63S	63								
300	40	63S	63	75S								
400	40	63S	75S	75								

Due to cable diameter variances between manufacturers, we strongly advise the cable diameter is checked where possible, prior to purchasing the products.

E1W Industrial Brass Glands

- Tested and approved to BS 6121 Pt1
- Supplied in kit form with Shrouds, Earth Tags & Steel Locknuts
- Ingress Protection: IP66

Part Number	Description	Gland Size (mm)	Thread Length (mm)	Max Inner Cable Dia. (mm)	Max Outer Cable Dia. (mm)	Armour Wire Dia. (mm)	Pack Qty
QAE1W20S	E1W Brass Gland Pack 20mm Small	20	10	11.6	11.4/15.9	0.9/1.25	2
QAE1W20	E1W Brass Gland Pack 20mm	20	10	13.9	15/20.9	0.9/1.25	2
QAE1W25	E1W Brass Gland Pack 25mm	25	10	19.9	20.3/27.4	1.25/1.6	2
QAE1W32	E1W Brass Gland Pack 32mm	32	10	26.2	26/33.9	1.6/2	2

2 Part BW Industrial Brass Glands

- Tested and approved to BS6121 Pt1
- Manufactured in cast brass to BS2874
- Supplied in kit form with Shrouds, Earth Tags & Steel Locknuts
- Standard 1.5mm Thread Pitch
- Ingress Protection: IP30

Part Number	Description	Gland Size (mm)	Thread Length (mm)	Max Outer Cable Dia. (mm)	Max Inner Cable Dia. (mm)	Armour Wire Dia. (mm)	Pack Qty
QBW20SS	BW Brass Gland Pack 20mm S/Small	20	10	13.5	9	0.9	2
QBW20S	BW Brass Gland Pack 20mm Small	20	10	16.1	11.6	0.9/1.25	2
QBW20	BW Brass Gland Pack 20mm	20	10	21.1	13.9	0.9/1.25	2
QBW25	BW Brass Gland Pack 25mm	25	10	27.4	19.9	1.25/1.6	2
QBW32	BW Brass Gland Pack 32mm	32	10	34.4	26.2	1.6/2.0	2
QBW40	BW Brass Gland Pack 40mm	40	15	42.4	32.1	1.6/2.0	1
QBW50S	BW Brass Gland Pack 50mm Small	50	15	50.1	38.1	2.0/2.5	1
QBW50	BW Brass Gland Pack 50mm	50	15	55.7	44	2.0/2.5	1
QBW63S	BW Brass Gland Pack 63mm Small	63	15	62.4	50	2.5	1
QBW63	BW Brass Gland Pack 63mm	63	15	68.2	55.9	2.5	1
QBW20S-LSF	BW Brass Gland LSF Pack 20mm Small	20	10	16.1	11.6	0.9/1.25	2
QBW20-LSF	BW Brass Gland LSF Pack 20mm	20	10	21.1	13.9	0.9/1.25	2
QBW25-LSF	BW Brass Gland LSF Pack 25mm	25	10	27.4	19.9	1.25/1.6	2
QBW32-LSF	BW Brass Gland LSF Pack 32mm	32	10	34.4	26.2	1.6/2.0	2
QBW40-LSF	BW Brass Gland LSF Pack 40mm	40	15	42.4	32.1	1.6/2.0	1
QBW50-LSF	BW Brass Gland LSF Pack 50mm	50	15	55.7	44	2.0/2.5	1
QBW63-LSF	BW Brass Gland LSF Pack 63mm	63	15	68.2	55.9	2.5	1

3 Part CW Industrial Brass Glands

- Tested and approved to BS6121 Pt1
- Manufactured in cast brass to BS2874
- Standard 1.5mm Thread Pitch
- Supplied with Shrouds, Earth Tags & Steel Locknuts
- Ingress Protection: IP66

PLEASE REFER TO PAGE 35 FOR THE CABLE GLAND SELECTION CHART

Part Number	Description	Gland Size (mm)	Thread Length (mm)	Max Outer Cable Dia. (mm)	Max Inner Cable Dia. (mm)	Armour Wire Dia. (mm)	Pack Qty
QCW20SS	CW Brass Gland Pack 20mm S/Small	20	9.5	12.5	9	0.9	2
QCW20S	CW Brass Gland Pack 20mm Small	20	10	11.4/15.9	11.6	0.9/1.25	2
QCW20	CW Brass Gland Pack 20mm	20	10	15/20.9	13.9	0.9/1.25	2
QCW25	CW Brass Gland Pack 25mm	25	10	20.3/27.4	19.9	1.25/1.6	2
QCW32	CW Brass Gland Pack 32mm	32	10	26/33.9	26.2	1.6/2	2
QCW40	CW Brass Gland Pack 40mm	40	15	31/40.4	32.1	1.6/2	1
QCW50S	CW Brass Gland Pack 50mm Small	50	15	36.5/46.7	38.1	2/2.5	1
QCW50	CW Brass Gland Pack 50mm	50	15	43/53.1	44	2/2.5	1
QCW63S	CW Brass Gland Pack 63mm Small	63	15	48.9/59.4	50	2.5	1
QCW63	CW Brass Gland Pack 63mm	63	15	58/65.9	55.9	2.5	1
QCW75S	CW Brass Gland Pack 75mm Small	75	15	60.6/72.1	61.9	2.5	1
QCW75	CW Brass Gland Pack 75mm	75	15	64.9/78.5	67.9	2.5/3	1
QCW20S-LSF	CW Brass Gland LSF Pack 20mm Small	20	10	11.4/15.9	11.6	0.9/1.25	2
QCW20-LSF	CW Brass Gland LSF Pack 20mm	20	10	15/20.9	13.9	0.9/1.25	2
QCW25-LSF	CW Brass Gland LSF Pack 25mm	25	10	20.3/27.4	19.9	1.25/1.6	2
QCW32-LSF	CW Brass Gland LSF Pack 32mm	32	10	26/33.9	26.2	1.6/2	2
QCW40-LSF	CW Brass Gland LSF Pack 40mm	40	15	31/40.4	32.1	1.6/2	1
QCW50-LSF	CW Brass Gland LSF Pack 50mm	50	15	43/53.1	44	2/2.5	1
QCW63-LSF	CW Brass Gland LSF Pack 63mm	63	15	58/65.9	55.9	2.5	1

Brass Cable Glands

Q-CRIMP

Secure Connection.

3 & 4 part Brass Glands now include a brass olive which allows for different sizes & grades of steel wire armour.



3 Part BW Industrial Brass Glands

- Tested and approved to BS6121 Pt1
- Manufactured in cast brass to BS2874
- Ingress Protection: IP30

Part Number	Description	Gland Size (mm)	Max Inner Cable Dia. (mm)	Max Outer Cable Dia. (mm)	Armour Wire Dia. (mm)	Pack Qty
QBW20S-3	BW Brass Gland Pack 20mm Small	20	12.5	16.5	0.9/1.25	2
QBW20-3	BW Brass Gland Pack 20mm	20	14.5	20.5	0.9/1.25	2
QBW25-3	BW Brass Gland Pack 25mm	25	20	26.5	1.25/1.6	2
QBW32-3	BW Brass Gland Pack 32mm	32	26.3	33.5	1.6/2	2
QBW40-3	BW Brass Gland Pack 40mm	40	33	41.5	1.6/2	1

4 Part CW Industrial Brass Glands

- Tested and approved to BS6121 Pt1
- Manufactured in cast brass to BS2874
- Allows for slight variance in cable size
- Ingress Protection: IP66

Part Number	Description	Gland Size (mm)	Max Inner Cable Dia. (mm)	Max Outer Cable Dia. (mm)	Armour Wire Dia. (mm)	Pack Qty
QCW20S-4	CW Brass Gland Pack 20mm Small	20	12.5	15.5	0.9/1.25	2
QCW20-4	CW Brass Gland Pack 20mm	20	14	20.5	0.9/1.25	2
QCW25-4	CW Brass Gland Pack 25mm	25	20	26.5	1.25/1.6	2
QCW32-4	CW Brass Gland Pack 32mm	32	26.3	33.5	1.6/2	2
QCW40-4	CW Brass Gland Pack 40mm	40	33	40	1.6/2	1

Meter Tail Glands

• IP68 ingress protection

Part Number	Description	Thread Dia. (mm)	Entry Thread (mm)	Spanner Size (mm)	Tails Diameter (mm^2)	Pack Qty
QCGM32TPW	White Nylon 32mm Meter Tail Glands With Plug	32	14.7	42	Line & Neutral: 25mm^2 CPC: 16mm^2	1
QCGM40TPW	White Nylon 40mm Meter Tail Glands With Plug	40	18.4	49	Line & Neutral: 25mm^2 CPC: 16mm^2	1
QBG32TP	Brass 32mm Meter Tail Glands With Plug	32	8	36	Line & Neutral: 25mm^2 CPC: 16mm^2	1
QBG40TP	Brass 40mm Meter Tail Glands With Plug	40	8	46.2	Line & Neutral: 25mm^2 CPC: 16mm^2	1

Nylon Glands

• Made from Polyamide 6
• IP68 ingress protection
• Includes locknut & washer

Part Number	Description	Colour	Thread Diameter (mm)	Entry Thread (mm)	Spanner Size (mm)	Cable Diameter (mm)	Pack Qty
QCGM12BLK	Nylon 12mm Glands	Black	12	7.9	15	3 - 6.5	10
QCGM12GRY	Nylon 12mm Glands	Grey	12	7.9	15	3 - 6.5	10
QCGM12RED	Nylon 12mm Glands	Red	12	7.9	15	3 - 6.5	10
QCGM16BLK	Nylon 16mm Glands	Black	16	15.5	22	5 - 10	10
QCGM16GRY	Nylon 16mm Glands	Grey	16	15.5	22	5 - 10	10
QCGM16RED	Nylon 16mm Glands	Red	16	15.5	22	5 - 10	10
QCGM16WHT	Nylon 16mm Glands	White	16	15.5	22	5 - 10	10
QCGM20AG	Nylon 20mm Glands	Anthracite Grey	20	10	24	8 - 12	10
QCGM20BLK	Nylon 20mm Glands	Black	20	10	24	8 - 12	10
QCGM20GRY	Nylon 20mm Glands	Grey	20	10	24	8 - 12	10
QCGM20LBLK	Nylon 20mm Glands	Black	20	10	27	10 - 14	10
QCGM20LGRY	Nylon 20mm Glands	Grey	20	10	27	10 - 14	10
QCGM20LRED	Nylon 20mm Glands	Red	20	10	27	10 - 14	10
QCGM20LWHT	Nylon 20mm Glands	White	20	10	27	10 - 14	10
QCGM20RED	Nylon 20mm Glands	Red	20	10	24	8 - 12	10
QCGM20WHT	Nylon 20mm Glands	White	20	10	24	8 - 12	10
QCGM25BLK	Nylon 25mm Glands	Black	25	15.2	33	13 - 18	10
QCGM25GRY	Nylon 25mm Glands	Grey	25	15.2	33	13 - 18	10
QCGM25RED	Nylon 25mm Glands	Red	25	15.2	33	13 - 18	10
QCGM25WHT	Nylon 25mm Glands	White	25	15.2	33	13 - 18	10
QCGM32BLK	Nylon 32mm Glands	Black	32	14.7	42	18 - 25	10
QCGM32GRY	Nylon 32mm Glands	Grey	32	14.7	42	18 - 25	10
QCGM32RED	Nylon 32mm Glands	Red	32	14.7	42	18 - 25	10
QCGM32WHT	Nylon 32mm Glands	White	32	14.7	42	18 - 25	10
QCGM40BLK	Nylon 40mm Glands	Black	40	18.4	53	22 - 32	5
QCGM40GRY	Nylon 40mm Glands	Grey	40	18.4	53	22 - 32	5
QCGM40WHT	Nylon 40mm Glands	White	40	18.4	53	22 - 32	5
QCGM50BLK	Nylon 50mm Glands	Black	50	17.8	60	30 - 38	5
QCGM50GRY	Nylon 50mm Glands	Grey	50	17.8	60	30 - 38	5
QCGM50WHT	Nylon 50mm Glands	White	50	17.8	60	30 - 38	5
QCGM63BLK	Nylon 63mm Glands	Black	63	18.5	75	34 - 44	5
QCGM63GRY	Nylon 63mm Glands	Grey	63	18.5	75	34 - 44	5
QCGM63WHT	Nylon 63mm Glands	White	63	18.5	75	34 - 44	5

PVC Tapes

Tested for: Thickness, Tensile Elongation, Adhesion, Adhesion to Backing, Flagging, Corrosive Sulphur, Flame Propagation (CAT 2), Plastic to 31/90 (PVCP), Working Temperature up to 70°C.

- Made from self extinguishing flame retardant PVC
- Manufactured to comply with BS EN 60454-3
- Ideal for electrical binding, colour coding and identification
- Dielectric Strength = 40KV/mm

Part Number	Description	Colour	Length (M)	Width (mm)	Pack Qty
1920B	PVC Tape 19mm x 20m Rolls	Black	20	19	10 Rolls
1920BL	PVC Tape 19mm x 20m Rolls	Blue	20	19	10 Rolls
1920BR	PVC Tape 19mm x 20m Rolls	Brown	20	19	10 Rolls
1920GR	PVC Tape 19mm x 20m Rolls	Green	20	19	10 Rolls
1920GY	PVC Tape 19mm x 20m Rolls	Grey	20	19	10 Rolls
1920R	PVC Tape 19mm x 20m Rolls	Red	20	19	10 Rolls
1920W	PVC Tape 19mm x 20m Rolls	White	20	19	10 Rolls
1920Y	PVC Tape 19mm x 20m Rolls	Yellow	20	19	10 Rolls
1920YG	PVC Tape 19mm x 20m Rolls	Yellow/Green	20	19	10 Rolls
1933B	PVC Tape 19mm x 33m Rolls	Black	33	19	10 Rolls
1933BL	PVC Tape 19mm x 33m Rolls	Blue	33	19	10 Rolls
1933BR	PVC Tape 19mm x 33m Rolls	Brown	33	19	10 Rolls
1933GR	PVC Tape 19mm x 33m Rolls	Green	33	19	10 Rolls
1933GY	PVC Tape 19mm x 33m Rolls	Grey	33	19	10 Rolls
1933R	PVC Tape 19mm x 33m Rolls	Red	33	19	10 Rolls
1933W	PVC Tape 19mm x 33m Rolls	White	33	19	10 Rolls
1933Y	PVC Tape 19mm x 33m Rolls	Yellow	33	19	10 Rolls
1933YG	PVC Tape 19mm x 33m Rolls	Yellow/Green	33	19	10 Rolls
1920MX01	Mixed Phase Colours (10 Pack) (2 x Black, Brown, Blue, Grey, Yellow/Green)		20	19	1 Pack
1920MX02	Mixed Colours (10 Pack) (2 x Black, Brown, White & 1 x Red, Blue, Yellow, Yellow/Green)		20	19	1 Pack

Self-Amalgamating Tape



Part Number	Description	Length (M)	Width (mm)	Pack Qty
1910BSA	Black Self-Amalgamating Tape 19mm x 10m Roll	10	19	1

Specialist Tapes

Part Number	Description	Length (M)	Width (mm)	Pack Qty
QDT50X50	Duct Tape 50mm x 50m Roll	50	50	1 Roll
QUGT100X200	Underground Warning Tape 100mm x 200m Roll	200	100	1 Roll

Connectors & Terminal Blocks

Push in Connectors

Terminal Capacity: 0.5mm²-2.5mm² Stranded or Solid Core
Operating Temperature (Max.): 110°C

Part Number	Description	Colour	Pack Qty
QP2242R2	24A 450V 2 Port Push In Wire Connectors	Red Transparent	100
QP3242O2	24A 450V 3 Port Push In Wire Connectors	Orange Transparent	100
QP4242Y2	24A 450V 4 Port Push In Wire Connectors	Yellow Transparent	100
QP5242T2	24A 450V 5 Port Push In Wire Connectors	Transparent	100
QP6242P2	24A 450V 6 Port Push In Wire Connectors	Purple Transparent	100
QP8242B2	24A 450V 8 Port Push In Wire Connectors	Black Transparent	50

Earthing Terminal Blocks

- 110A max

Part Number	Description	Terminal Area (mm²)	Pack Qty
QBTB4	Brass 4 Way Earthing Terminal Block	3 x 16, 1 x 25	10
QBTB8	Brass 8 Way Earthing Terminal Block	6 x 16, 2 x 25	5

Terminal Blocks



- PE material
- Brass insert
- Captive screw
- BSEN60998-2-3:2004

Part Number	Description	Terminal Area (mm²)	Pack Qty
QTB5	Clear 5 Amp 12 Way Terminal Block Strips	6	10
QTB15	Clear 15 Amp 12 Way Terminal Block Strips	12	10
QTB30	Clear 30 Amp 12 Way Terminal Block Strips	16	10
QTB60	Clear 60 Amp 12 Way Terminal Block Strips	25	10

call: 01827 300600 **email:** sales@unicrimp.com **visit:** www.unicrimp.com

Q-NECT

Lever Connectors & Connection Boxes

Strong, quick and reliable solutions.

Focusing on strong, quick and reliable solutions, the new Q-Nect range offers great versatility for electrical connections. Each product is packed with features which makes your installations quicker and easier.

www.unicrimp.com/q-nect

Lever Connectors



Part Number	Description	Conductor Strip Length (mm²)	Conductor Size (mm²)	Rated Current (A)	Colour	Pack Qty
QL2322	32A 450V 2 Port Lever Wire Connectors	10	0.2 - 4.0	32	Transparent	50
QL3322	32A 450V 3 Port Lever Wire Connectors	10	0.2 - 4.0	32	Transparent	50
QL5322	32A 450V 5 Port Lever Wire Connectors	10	0.2 - 4.0	32	Transparent	30

Don't get boxed in.



Our IP connection boxes include knockouts on each side, allowing for full adaptability.

IP66 Junction Box

Part Number	Description	Colour	Size (mm)	Gland Size (mm)	Entry Thread (mm)	Pack Qty
QOE8553AGY	IP66 Weatherproof Enclosure	Anthracite Grey	85 x 85 x 52	20	20	1
QOE8553BLK	IP66 Weatherproof Enclosure	Black	85 x 85 x 52	20	20	1
QOE8553AGYF	IP66 Weatherproof Enclosure With Connectors	Anthracite Grey	85 x 85 x 52	20	20	1
QOE8553BLKF	IP66 Weatherproof Enclosure With Connectors	Black	85 x 85 x 52	20	20	1
QOE8553AGYTF	IP66 Weatherproof Enclosure With Semi-Transparent Lid With Connectors	Anthracite Grey	85 x 85 x 52	20	20	1
QOE8553BLKTF	IP66 Weatherproof Enclosure With Semi-Transparent Lid With Connectors	Black	85 x 85 x 52	20	20	1

Built for reliability.

Our IP68 connection boxes stay fully protected even under permanent submersion up to one metre with no gels required.

2 & 3 Way Connection Box

Part Number	Description	Rated Current (A)	Min. Cable Dia. (mm)	Max. Cable Dia. (mm)	Pack Qty
QOE5232BLK	3 Pole 2 Way 16A IP66 Connection Box	16	4	6.5	1
QOE5553AGYF	IP66 Weatherproof Enclosure with Lid and Connectors	32			1
QOE5553BLKF	IP66 Weatherproof Enclosure with Lid and Connectors	32			1
QOE8342BLK	4 Pole 2 Way 24A IP68 Inline Connection Box	24	5	8	1
QOE8332BLK	4 Pole 2 Way 32A IP68 Inline Connection Box With Connector	32	5	8	1
QOE8333BLK	4 Pole 3 Way 32A IP68 (M16+M20) Connection Box With Connector	32	5	8	1

3 Way IP68 'T' & Inline Connectors

Part Number	Description	Rated Current (A)	Min. Cable Dia. (mm)	Max. Cable Dia. (mm)	Pack Qty
QOE3032BLK	3 Pole 2 Way 32A IP68 Inline Connector	32	4	14	1
QOE3052BLK	5 Pole 2 Way 24A IP68 Inline Connector	24	6	14	1
QOE3053BLK	5 Pole 3 Way 24A IP68 T-Connector	24	6	14	1

Earthing Clamps

Part Number	Description	Thread Size	Gland Size (mm)	Pack Qty
QBEPS	Brass Earthing Plate - Single	M4	20	2
QBEPD	Brass Earthing Plate - Double	M4	20	2

Versatile solutions.

Our cable clips are built to accommodate multiple cable sizes and types while still securing without compromise.

Cable Clips

- Self grip design
- Chemical inertness
- Stress crack resistance
- Thick steel nails prevents snapping
- Long nail for good pull out value
- High grade tough polyethylene

Part Number	Description	Colour	Cable Dimensions (mm^2)	Pack Qty
QFC1	Cable Clips for 2 x 4mm Bellwire	Clear	2 x 4	100
QFC2	Cable Clips for 3 x 5mm Speaker Cable	Clear	3 x 5	100
QFC3	Cable Clips for 4 x 6mm Twin Sheath Cable	Clear	4 x 6	100
QFC4	Cable Clips for 1.0-1.5mm^2 T&E Cable	Grey	5 x 8	100
QFC5	Cable Clips for 2.5mm^2 T&E Cable	Grey	6 x 10	100
QFC6	Cable Clips for 4-6mm^2 T&E Cable*	Grey	7 x 14	100
QFC7	Cable Clips for 10-16mm^2 T&E Cable	Grey	9 x 18	100
QFWC1	Cable Clips for 11 x 22mm Flat Oval Conduit	White	11 x 22	100
QFWC4	Cable Clips for Flat 1-1.5mm^2 T&E Cable	White	5 x 8	100
QFWC5	Cable Clips for Flat 2.5mm^2 T&E Cable	White	6 x 10	100
QFWC6	Cable Clips for 4-6mm^2 T&E Cable*	White	7 x 14	100
QFWC7	Cable Clips for 10-16mm^2 T&E Cable	White	9 x 18	100
QDC1	Double Cable Clips for 2 x 1.0-1.5mm^2 T&E Cable	Grey	5 x 16	100
QDC2	Double Cable Clips for 2 x 2.5mm^2 T&E Cable	Grey	6 x 20	100
QJ12B	Dual Coaxial Cable Clips (RG59+2C and HYCF Dual)	Black	6 x 12.5	100
QJ12W	Dual Coaxial Cable Clips (RG59+2C and HYCF Dual)	White	6 x 12.5	100

* can also be used for 3 core + earth 1.5mm^2 cable

Cable Clips

- Self grip design
- Chemical inertness
- Stress crack resistance
- Thick steel nails prevents snapping
- Long nail for good pull out value
- High grade tough polyethylene

Part Number	Description	Colour	Min Cable Dia. (mm)	Max Cable Dia. (mm)	Pack Qty
QRC1	Cable Clips For 2-3mm Round Cable	Clear	2	3	100
QRC1B	Cable Clips for 2-3mm Round Cable	Black	2	3	100
QRC2	Cable Clips for 3-5mm Round Cable	Clear	3	5	100
QRC2B	Cable Clips for 3-5mm Round Cable	Black	3	5	100
QRC3	Cable Clips for 3-5mm Round Cable	White	3	5	100
QRC4	Cable Clips for 5-7mm Round Cable	Black	5	7	100
QRC5	Cable Clips for 5-7mm Round Cable	Clear	5	7	100
QRC6	Cable Clips for 5-7mm Round Cable	White	5	7	100
QRC7	Cable Clips for 7-10mm Round Cable	Black	7	10	100
QRC8	Cable Clips for 7-10mm Round Cable	Brown	7	10	100
QRC9	Cable Clips for 7-10mm Round Cable	Red	7	10	100
QRC10	Cable Clips for 7-10mm Round Cable	White	7	10	100
QRC8-12B	Cable Clips for 8-12mm Round Cable	Black	8	12	100
QRC8-12W	Cable Clips for 8-12mm Round Cable	White	8	12	100
QRC11	Cable Clips for 10-14mm Round Cable	Black	10	14	100
QRC12	Cable Clips for 10-14mm Round Cable	White	10	14	100
QRC13	Cable Clips for 14-20mm Round Cable	Black	14	20	50
QRC14	Cable Clips for 14-20mm Round Cable	White	14	20	50
QRC15	Cable Clips for 18-22mm Round Cable	Black	18	22	50
QRC16	Cable Clips for 18-22mm Round Cable	White	18	22	50
QRC17	Cable Clips for 22-26mm Round Cable	Black	22	26	50
QRC18	Cable Clips for 22-26mm Round Cable	White	22	26	50

Grommets and Cleats

Grommets - Quick Fit



Part Number	Description	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Pack Qty
QGROMQ20CLOSED	Black Quick Fit Closed Cable Grommets 20mm	24.7	16.6	19.8	7.9	2.8	3.5	100
QGROMQ25CLOSED	Black Quick Fit Closed Cable Grommets 25mm	29.6	20.6	24.9	8.8	2.8	3.4	100
QGROMQ32CLOSED	Black Quick Fit Closed Cable Grommets 32mm	37.5	27	32	10.5	2	4.8	50
QGROMQ20OPEN	Black Quick Fit Open Cable Grommets 20mm	23.6	16.2	19.9	8.4	2.1	4.4	100
QGROMQ25OPEN	Black Quick Fit Open Cable Grommets 25mm	29.5	20.4	24.6	8.6	2.1	4.1	100
QGROMQ32OPEN	Black Quick Fit Open Cable Grommets 32mm	37.5	27	32	10.5	2	4.8	50

Grommets - Standard



Part Number	Description	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	Pack Qty
QGROM20CLOSED	Black Closed Cable Grommets 20mm	22.1	15.7	19.8	5.5	1.4	100
QGROM25CLOSED	Black Closed Cable Grommets 25mm	29.6	18.8	25.2	6.5	2	50
QGROM32CLOSED	Black Closed Cable Grommets 32mm	37.5	27	32	9.2	2	50
QGROM20OPEN	Black Open Cable Grommets 20mm	23.2	16.2	19.6	6.7	2.1	100
QGROM25OPEN	Black Open Cable Grommets 25mm	29	20	25.1	7.3	2.4	50
QGROM32OPEN	Black Open Cable Grommets 32mm	37.5	27	32	9.2	2	50

Grommet Strip

Part Number	Description	Length (M)	Width (mm)	Height (mm)	Pack Qty
QGT3B	5mm x 8mm x 3M Grommet Strip Edge Roll - Black	3	5	8	1
QGT5B	5mm x 8mm x 5M Grommet Strip Edge Roll - Black	5	5	8	1
QGT10B	5mm x 8mm x 10M Grommet Strip Edge Roll - Black	10	5	8	1

Cable Cleats

Part Number	Description	Min Cable Dia. (mm)	Max Cable Dia. (mm)	Width (mm)	Length (mm)	Depth (mm)	Pack Qty
QC4	Black Cable Cleats 10.1mm	7.7	10	14.5	28.9	15.5	100
QC5	Black Cable Cleats 12.7mm	10.1	12.7	17.5	30.8	15.5	100
QC6	Black Cable Cleats 15.2mm	12.6	15.2	19.7	32.8	15.5	100
QC7	Black Cable Cleats 17.8mm	15.1	17.8	21.8	35	15.5	100
QC8	Black Cable Cleats 20.3mm	17.7	20.3	25.5	37.6	18.5	100
QC9	Black Cable Cleats 22.8mm	20.2	22.8	26.7	41	18.5	100
QC10	Black Cable Cleats 25.4mm	22.7	25.4	29.7	43	18.5	100
QC11	Black Cable Cleats 27.7mm	25.3	27.7	32.1	46.5	21.5	50
QC12	Black Cable Cleats 30.0mm	27.6	30.5	37.2	53.4	21.5	50
QC14	Black Cable Cleats 35.6mm	30.4	35.5	38.4	61.3	24.4	50
QC16	Black Cable Cleats 40.6mm	35.4	40.6	49.8	63.1	24.4	50
QC18	Black Cable Cleats 45.7mm	40.5	45.7	51.2	68.3	24.4	50
QC20	Black Cable Cleats 50.4mm	45.6	50.8	55.6	72.8	24.4	20

See selection chart on page 49

call: 01827 300600 **email:** sales@unicrimp.com **visit:** www.unicrimp.com

Q-FIRE

The Complete Fire Range

Fire protection that lasts

Don't get caught out
By the latest regs. Prevent cables from premature collapse during a fire and keep emergency services and the public safe

www.unicrimp.com/products/q-fire

The sizes recommended in the following charts are for guidance only
and are based on cables manufactured to BS 5467.
Actual cable dimensions must be used for cable cleat selection.

Plastic Cable Cleats

Armoured Cable Gland Selection Chart

Replace asterisk with figures from the chart to create the Unicrimp Product Code

QC**

Cable Size	Number of Cores											
	Single Core	2 Core	3 Core	4 Core	5	7	10	12	19	27	37	48
1.5	-	7	7	7	7	9	9	11	11	14	14	14
2.5	-	7	7	7	9	9	11	11	11	14	16	16
4.0	-	7	7	9	9	9	11	11	14	16	16	-
6.0	-	9	9	9	9	11	-	14	-	-	-	-
10.0	-	9	9	11	11	11	-	16	-	-	-	-
16.0	-	11	11	11	11	14		-				
25.0	-	11	14	14	14	16		-				
35.0	-	14	14	14	16	-						
50.0	9	14	14	14	-	-						
70.0	9	14	14	16	-							
95.0	11	14	16	20	-							
120	11	16	20	-	-							
150	14	16	20	-	-							
185	14	20	-	-	-							
240	14	-	-	-	-							
300	16	-	-	-	-							
400	16	-	-	-	-							

All sizes approximate. Max. Outer Cable Dia. (mm)

Saddle Clips

Replace asterisk with figures from the chart to create the Unicrimp Product Code

QSC*LSFR**

STANDARD CABLE					
Cable Size	Number of Cores				
	1	2	3	4	5
1.0	-	*	302	342	-
1.5	-	302	342	342	-
2.5	-	342	342	-	-
4	-	382	-	-	-

FP200 CABLE					
Cable Size	Number of Cores				
	1	2	3	4	5
1.0	-	302	302	302	-
1.5	-	342	342	-	-

Due to cable diameter variances between manufacturers, we strongly advise the cable diameter is checked where possible, prior to purchasing the products.

The sizes recommended in the following charts are for guidance only
and are based on cables manufactured to BS 5467.
Actual cable dimensions must be used for cable cleat selection.

Metal Cable Cleats

Replace asterisk with figures from the chart to create the Unicrimp Product Code

QCMBK**

Cable Size	Number of Cores											
	1	2	3	4	5	7	10	12	19	27	37	48
1.5	-	6	6	6	6	6	8	11	11	14	14	14
2.5	-	6	6	6	8	8	11	11	11	14	16	16
4	-	6	6	8	8	8	11	11	14	16	16	-
6	-	8	8	8	8	11						
10	-	8	8	11	11	11						
16	-	11	11	11	11	14						
25	-	11	14	14	14	16						
35	-	14	14	14	16							
50	8	14	14	14	-							
70	8	14	14	16	-							
95	11	14	16	20								
120	11	16	20	-								
150	14	16	20	-								
185	14	20	-	-								
240	14	-	-	-								
300	16	-	-	-								
400	16	-	-	-								

All sizes approximate. Max. Outer Cable Dia. (mm)

P Clips

Replace asterisk with figures from the chart to create the Unicrimp Product Code

QPCLSFR**

STANDARD CABLE					
Cable Size	Number of Cores				
	1	2	3	4	5
1.0	-	-	28	30	-
1.5	-	28	30	34	-
2.5	-	32	34	37	-
4	-	37	-	-	-

FP200 CABLE					
Cable Size	Number of Cores				
	1	2	3	4	5
1.0	-	-	32	34	-
1.5	-	32	34	37	-
2.5	-	37	37	-	-

Due to cable diameter variances between manufacturers, we strongly advise the cable diameter is checked where possible, prior to purchasing the products.

Safe and secure.

Keep your cables under control with a metal cable cleat that adapts to variable cable sizes using its versatile mounting slot.

Metal Cable Cleats

• Oval mounting slot for varying cable thicknesses

Part Number	Description	Min Cable Dia. (mm)	Max Cable Dia. (mm)	Width (mm)	Fixing Dia. (mm)	Pack Qty
QC3MBK	Metal Cable Cleats 5.0-7.6mm	5	7.6	16.3	5.7	10
QC4MBK	Metal Cable Cleats 7.7-10.0mm	7.7	10	16.3	5.7	10
QC5MBK	Metal Cable Cleats 10.1-12.7mm	10.1	12.7	16.5	5.7	10
QC6MBK	Metal Cable Cleats 12.6-15.2mm	12.6	15.2	16.5	5.7	10
QC7MBK	Metal Cable Cleats 15.1-17.8mm	15.1	17.8	16.5	5.7	10
QC8MBK	Metal Cable Cleats 17.7-20.3mm	17.7	20.3	20.3	5.7	10
QC9MBK	Metal Cable Cleats 20.2-22.8mm	20.2	22.8	20.5	5.7	10
QC10MBK	Metal Cable Cleats 22.7-25.4mm	22.7	25.4	20.3	5.7	10
QC11MBK	Metal Cable Cleats 25.3-27.7mm	25.3	27.7	22.5	5.7	10
QC12MBK	Metal Cable Cleats 27.6-30.5mm	27.6	30.5	25.3	5.7	10
QC14MBK	Metal Cable Cleats 30.4-35.5mm	30.4	35.5	25.3	5.7	10
QC16MBK	Metal Cable Cleats 35.4-40.6mm	35.4	40.6	25.3	5.7	10
QC18MBK	Metal Cable Cleats 40.5-45.7mm	40.5	45.7	25.3	5.7	10
QC20MBK	Metal Cable Cleats 45.6-50.8mm	45.6	50.8	25.3	5.7	10
QC6MBKBULK	Metal Cable Cleats 12.6-15.2mm	12.6	15.2	16.5	5.7	100
QC7MBKBULK	Metal Cable Cleats 15.1-17.8mm	15.1	17.8	16.5	5.7	100

See selection chart on page 50

Handles the heat.

Designed to be durable and resistant in demanding environments where reliability and strength are key.



Stainless Steel Roller Ball Cable Ties

• Minimum loop tensile strength 4.6mm wide = 44kg
• Minimum loop tensile strength 7.9mm wide = 110kg

Made from 201 grade steel

Part Number	Finish	Length (mm)	Width (mm)	Bundle Diameter (mm)	Min. Tensile Strength (Kg)	Pack Qty
QSST2200S	Steel	200	4.6	50	44	100
QSST2300S	Steel	300	4.6	83	44	100
QSST2360S	Steel	360	4.6	100	44	100

Made from 316 grade steel

QSST150S	Steel	150	4.6	35	44	100
QSST200S	Steel	200	4.6	50	44	100
QSST300S	Steel	300	4.6	83	44	100
QSST300LH	Steel	300	7.9	83	110	100
QSST360LH	Steel	360	7.9	100	110	100
QSST360S	Steel	360	4.6	100	44	100
QSST520S	Steel	520	4.6	150	44	100
QSST520LH	Steel	520	7.9	150	110	50
QSST840LH	Steel	840	7.9	250	110	50

Stainless Steel Mounts

• For indoor and outdoor use, fully weather proof, UV and fire resistant

• High quality 316 grade stainless steel

Part Number	Description	Fixing Dia. (mm)	Max Cable Tie Width (mm)	Pack Qty
QSSTM-4	316 Stainless Steel Cable Tie Mount M4	4.2	10	50
QSSTM-6	316 Stainless Steel Cable Tie Mount M6	6.2	10	50

Fire Safe Cable Clips

- Cable clips prevent cables dropping in the event of a fire
- Can be used in PVC trunking or surface mounted
- Non corrosive finish

Part Number	Description	Fire Rating	Trunking Width (mm)	Pack Qty
QFGFC25	Fire-Safe Cable Clips 25mm (120Min)	120 Minutes (2 Hours)	25 (YT2)	10
QFGFC40	Fire-Safe Cable Clips 40mm (120Min)	120 Minutes (2 Hours)	32 - 40 (YT3, YT4, YT5)	10
QFGFC50	Fire-Safe Cable Clips 50mm (120Min)	120 Minutes (2 Hours)	50 (YT6, YT7)	10

Fire Safe Cable Clips

Part Number	Description	Colour	Suitable Cable Size (mm²)	Pack Qty
QMC25	Metal Cable Clips for 1.0-2.5mm² T&E Cable	Galvanised	1 to 2.5 (T&E)	100
QMC25GY	Metal LSF Cable Clips for 1.0-2.5mm² T&E Cable	Grey	1 to 2.5 (T&E)	100
QMC25RD	Metal LSF Cable Clips for 1.0-2.5mm² T&E Cable	Red	1 to 2.5 (T&E)	100
QMC25WH	Metal LSF Cable Clips for 1.0-2.5mm² T&E Cable	White	1 to 2.5 (T&E)	100
QMC6	Metal Cable Clip for 4-6mm² T&E Cable	Galvanised	4 to 6 (T&E)	100
QMC6GY	Metal LSF Cable Clip for 4-6mm² T&E Cable	Grey	4 to 6 (T&E)	100
QMC6RD	Metal LSF Cable Clip for 4-6mm² T&E Cable	Red	4 to 6 (T&E)	100
QMC6WH	Metal LSF Cable Clip for 4-6mm² T&E Cable	White	4 to 6 (T&E)	100

Masonry Screws

Part Number	Description	Length	Thread Dia. (mm)	Pack Qty
QMA48-40	Pozi Countersunk Flat Head Blue Masonry Screws 4.8 x 40mm	40	4.8	100

Requires a 4mm pilot hole

Saddle Clips & P Clips

- Assist installation of fire cable to meet the requirement of BS 5839-1: 2017
- Tested & approved to BS 476 Pt.6 and BS 476 Pt.7

Part Number	Coating	Ref.	Colour	1mm	1.5mm	2.5mm	4mm	Fixing Dia. (mm)	Min Cable Dia. (mm)	Max Cable Dia. (mm)	Pack Qty
QPC28LSFB	LSF	28	Black	3L/1.0	2L/1.5	-	-	4	-	6.6	50
QPC28LSFR	LSF	28	Red	3L/1.0	2L/1.5	-	-	4	-	6.6	50
QPC28LSFW	LSF	28	White	3L/1.0	2L/1.5	-	-	4	-	6.6	50
QPC30LSFB	LSF	30	Black	4L/1.0	3L/1.5	-	-	5	-	7	50
QPC30LSFR	LSF	30	Red	4L/1.0	3L/1.5	-	-	5	-	7	50
QPC30LSFW	LSF	30	White	4L/1.0	3L/1.5	-	-	5	-	7	50
QPC32LSFB	LSF	32	Black	-	-	2L/2.5	-	5	-	8	50
QPC32LSFR	LSF	32	Red	-	-	2L/2.5	-	5	-	8	50
QPC32LSFW	LSF	32	White	-	-	2L/2.5	-	5	-	8	50
QPC34LSFB	LSF	34	Black	-	4L/1.5	3L/2.5	-	5	-	8.7	50
QPC34LSFR	LSF	34	Red	-	4L/1.5	3L/2.5	-	5	-	8.7	50
QPC34LSFW	LSF	34	White	-	4L/1.5	3L/2.5	-	5	-	8.7	50
QPC37LSFB	LSF	37	Black	-	-	4L/2.5	2L/4.0	5	-	9.7	50
QPC37LSFR	LSF	37	Red	-	-	4L/2.5	2L/4.0	5	-	9.7	50
QPC37LSFW	LSF	37	White	-	-	4L/2.5	2L/4.0	5	-	9.7	50
QSC302LSFB	LSF	302	Black	3L/1.0	2L/1.5	-	-	3.8	-	-	50
QSC302LSFR	LSF	302	Red	3L/1.0	2L/1.5	-	-	3.8	-	-	50
QSC302LSFW	LSF	302	White	3L/1.0	2L/1.5	-	-	3.8	-	-	50
QSC342LSFB	LSF	342	Black	4L/1.0	3L/1.5 - 4L/1.5	2L/2.5 - 3L/2.5	-	5	-	-	50
QSC342LSFR	LSF	342	Red	4L/1.0	3L/1.5 - 4L/1.5	2L/2.5 - 3L/2.5	-	5	-	-	50
QSC342LSFW	LSF	342	White	4L/1.0	3L/1.5 - 4L/1.5	2L/2.5 - 3L/2.5	-	5	-	-	50
QSC382LSFB	LSF	382	Black	-	-	-	2L/4.0	5	-	-	50
QSC382LSFR	LSF	382	Red	-	-	-	2L/4.0	5	-	-	50
QSC382LSFW	LSF	382	White	-	-	-	2L/4.0	5	-	-	50

See selection chart on pages 49 & 50

Saddle Bar Spacers

Part Number	Description	Width (mm)	Length (mm)	Height (mm)	Colour	Pack Qty
QSBS20	Metal Saddle Bar Spacer 20mm	21.5	56	26	Galvanised Steel	10
QSBS20B	Metal Saddle Bar Spacer 20mm	21.5	56	26	Black	10
QSBS20W	Metal Saddle Bar Spacer 20mm	21.5	56	26	White	10
QSBS25	Metal Saddle Bar Spacer 25mm	22.5	63	33	Galvanised Steel	10
QSBS25B	Metal Saddle Bar Spacer 25mm	22.5	63	33	Black	10
QSBS25W	Metal Saddle Bar Spacer 25mm	22.5	63	33	White	10

All-Round Banding

- Protective LSF coating to prevent cable damage
- Pre-punched steel banding ideal for fixing and general construction
- Highly versatile multi-purpose fixing band
- Easy to cut and bend
- Melting point <1370°C

Part Number	Description	Colour	Length (m)	Fixing Diameter (mm)	Band Width (mm)	Pack Qty
QARB12B	All-Round Banding 12mm x 10M	Black	10	5	12	1
QARB12G	Galvanised All-Round Banding 12mm x 10M	Galvanised	10	5	12	1
QARB12R	All-Round Banding 12mm x 10M	Red	10	5	12	1
QARB12W	All-Round Banding 12mm x 10M	White	10	5	12	1
QARB17B	All-Round Banding 17mm x 10M	Black	10	7	17	1
QARB17G	Galvanised All-Round Banding 17mm x 10M	Galvanised	10	7	17	1

Hybrid Sealant

Part Number	Description	Colour	Pack Qty
BUK30623574	Fire Retardant Hybrid Sealant - 290ml	White	1

Acrylic Sealant

Part Number	Description	Colour	Pack Qty
BTKFPIA300W	Fire Resistant Acrylic Sealant - 300ml	White	1

Expanding Foam

Part Number	Description	Colour	Pack Qty
BUK30811859	Fire Retardant Hand Held Expanding Foam	Pink	1

Squarelock Countersunk Flat Head BZP Wood Screws

Part Number	Description	Length (mm)	Head Dia. (mm)	Thread Dia. (mm)	Pack Qty
QSLS8-075	Squarelock Countersunk Flat Head BZP Wood Screws 8 x 0.75”	19	8.1	4.2	200
QSLS8-1	Squarelock Countersunk Flat Head BZP Wood Screws 8 x 1”	25.4	8.1	4.2	200
QSLS8-125	Squarelock Countersunk Flat Head BZP Wood Screws 8 x 1.25”	31.7	8.1	4.2	200
QSLS8-15	Squarelock Countersunk Flat Head BZP Wood Screws 8 x 1.5”	40	8.1	4.2	200
QSLS8-175	Squarelock Countersunk Flat Head BZP Wood Screws 8 x 1.75”	44.4	8.1	4.2	200
QSLS8-2	Squarelock Countersunk Flat Head BZP Wood Screws 8 x 2”	50.8	8.1	4.2	200
QSLS8-225	Squarelock Countersunk Flat Head BZP Wood Screws 8 x 2.25”	57	8.1	4.2	200
QSLS8-25	Squarelock Countersunk Flat Head BZP Wood Screws 8 x 2.5”	63.5	8.1	4.2	200
QSLS8-3	Squarelock Countersunk Flat Head BZP Wood Screws 8 x 3”	76.2	8.1	4.2	100
QSLS10-1	Squarelock Countersunk Flat Head BZP Wood Screws 10 x 1”	25.4	9.5	4.6	200
QSLS10-125	Squarelock Countersunk Flat Head BZP Wood Screws 10 x 1.25”	31.7	9.5	4.6	200
QSLS10-15	Squarelock Countersunk Flat Head BZP Wood Screws 10 x 1.5”	40	9.5	4.6	200
QSLS10-175	Squarelock Countersunk Flat Head BZP Wood Screws 10 x 1.75”	44.4	9.5	4.6	200
QSLS10-2	Squarelock Countersunk Flat Head BZP Wood Screws 10 x 2”	50.8	9.5	4.6	200
QSLS10-25	Squarelock Countersunk Flat Head BZP Wood Screws 10 x 2.5”	63.5	9.5	4.6	100
QSLS10-3	Squarelock Countersunk Flat Head BZP Wood Screws 10 x 3”	76.2	9.5	4.6	100

Squarelock Round Head BZP Wood Screws

Part Number	Description	Length (mm)	Head Dia. (mm)	Thread Dia. (mm)	Pack Qty
QSLR8-75	Squarelock Round Head BZP Wood Screws 8 x 0.75”	19	8.1	4.2	200
QSLR8-1	Squarelock Round Head BZP Wood Screws 8 x 1”	25.4	8.1	4.2	200
QSLR8-125	Squarelock Round Head BZP Wood Screws 8 x 1.25”	31.7	8.1	4.2	200
QSLR8-15	Squarelock Round Head BZP Wood Screws 8 x 1.5”	40	8.1	4.2	200
QSLR8-175	Squarelock Round Head BZP Wood Screws 8 x 1.75”	44.4	8.1	4.2	200
QSLR8-2	Squarelock Round Head BZP Wood Screws 8 x 2”	50.8	8.1	4.2	200
QSLR8-225	Squarelock Round Head BZP Wood Screws 8 x 2.25”	57	8.1	4.2	200
QSLR8-25	Squarelock Round Head BZP Wood Screws 8 x 2.5”	63.5	8.1	4.2	200
QSLR8-3	Squarelock Round Head BZP Wood Screws 8 x 3”	76.2	8.1	4.2	100
QSLR10-1	Squarelock Round Head BZP Wood Screws 10 x 1”	25.4	9.5	4.6	200
QSLR10-125	Squarelock Round Head BZP Wood Screws 10 x 1.25”	31.7	9.5	4.6	200
QSLR10-15	Squarelock Round Head BZP Wood Screws 10 x 1.5”	40	9.5	4.6	200
QSLR10-175	Squarelock Round Head BZP Wood Screws 10 x 1.75”	44.4	9.5	4.6	200
QSLR10-2	Squarelock Round Head BZP Wood Screws 10 x 2”	50.8	9.5	4.6	200
QSLR10-25	Squarelock Round Head BZP Wood Screws 10 x 2.5”	63.5	9.5	4.6	100
QSLR10-3	Squarelock Round Head BZP Wood Screws 10 x 3”	76.2	9.5	4.6	100

Squarelock Bit

Part Number	Description	Pack Qty
QSLS-BIT	Squarelock Woodscrew Bit SQ2	1
QSLS-BIT6	Squarelock Woodscrew Bit SQ2 6” Length	1

Maximum hold.

With its thread running to the top, this screw delivers maximum grip and secure fastening every time.

Pozi Carbon Steel Twin Thread Screws

Part Number	Description	Length (mm)	Head Dia. (mm)	Thread Dia. (mm)	Pack Qty
QWDS6X075	Pozi Countersunk Flat Head BZP Wood Screws 6 x 0.75”	19	6.8	3.6	200
QWDS6X1	Pozi Countersunk Flat Head BZP Wood Screws 6 x 1”	25.4	6.8	3.6	200
QWDS6X125	Pozi Countersunk Flat Head BZP Wood Screws 6 x 1.25”	31.7	6.8	3.6	200
QWDS6X15	Pozi Countersunk Flat Head BZP Wood Screws 6 x 1.5”	40	6.8	3.6	200
QWS8-05	Pozi Countersunk Flat Head BZP Wood Screws 8 x 0.5”	12.7	8.1	4.2	200
QWS8-075	Pozi Countersunk Flat Head BZP Wood Screws 8 x 0.75”	19	8.1	4.2	200
QWS8-1	Pozi Countersunk Flat Head BZP Wood Screws 8 x 1”	25.4	8.1	4.2	200
QWS8-125	Pozi Countersunk Flat Head BZP Wood Screws 8 x 1.25”	31.7	8.1	4.2	200
QWS8-15	Pozi Countersunk Flat Head BZP Wood Screws 8 x 1.5”	40	8.1	4.2	200
QWS8-175	Pozi Countersunk Flat Head BZP Wood Screws 8 x 1.75”	44.4	8.1	4.2	200
QWS8-20	Pozi Countersunk Flat Head BZP Wood Screws 8 x 2”	50.8	8.1	4.2	200
QWS8-225	Pozi Countersunk Flat Head BZP Wood Screws 8 x 2.25”	57	8.1	4.2	200
QWS8-25	Pozi Countersunk Flat Head BZP Wood Screws 8 x 2.5”	63.5	8.1	4.2	200
QWS8-30	Pozi Countersunk Flat Head BZP Wood Screws 8 x 3”	76.2	8.1	4.2	100
QWS10-10	Pozi Countersunk Flat Head BZP Wood Screws 10 x 1”	25.4	9.5	4.6	200
QWS10-125	Pozi Countersunk Flat Head BZP Wood Screws 10 x 1.25”	31.7	9.5	4.6	200
QWS10-15	Pozi Countersunk Flat Head BZP Wood Screws 10 x 1.5”	40	9.5	4.6	200
QWS10-175	Pozi Countersunk Flat Head BZP Wood Screws 10 x 1.75”	44.4	9.5	4.6	200
QWS10-20	Pozi Countersunk Flat Head BZP Wood Screws 10 x 2”	50.8	9.5	4.6	200
QWS10-25	Pozi Countersunk Flat Head BZP Wood Screws 10 x 2.5”	63.5	9.5	4.6	100
QWS10-3	Pozi Countersunk Flat Head BZP Wood Screws 10 x 3”	76.2	9.5	4.6	100
QWS10-4	Pozi Countersunk Flat Head BZP Wood Screws 10 x 4”	101.6	9.5	4.6	100

Extension Stud

Part Number	Description	Length (mm)	Thread Size	Spanner Size (mm)	Thread Depth (mm)	Pack Qty
QEXT	Extension Studs M3.5 x 20mm	35	M3.5	6	12	100

Round Head Brass Screws

Part Number	Description	Length (mm)	Head Dia. (mm)	Thread Dia. (mm)	Pack Qty
QBWS6-1	Slotted Round Head Brass Wood Screws 6 x 1”	25.4	6.5	3.3	100
QBWS8-075	Slotted Round Head Brass Wood Screws 8 x 0.75”	19	8.25	3.8	100
QBWS8-1	Slotted Round Head Brass Wood Screws 8 x 1”	25.4	8.25	3.8	100
QBWS8-15	Slotted Round Head Brass Wood Screws 8 x 1.5”	38	8.25	3.8	100
QBWS8-175	Slotted Round Head Brass Wood Screws 8 x 1.75”	44.4	8.25	3.8	100
QBWS8-20	Slotted Round Head Brass Wood Screws 8 x 2”	50.8	8.25	3.8	100

Pozi Countersunk Flat Head Dry Wall Screws

Part Number	Description	Length (mm)	Head Dia. (mm)	Thread Dia. (mm)	Pack Qty
QDWS35-38	Pozi Countersunk Flat Head Black Dry Wall Screws 3.5 x 38mm	38	8.2	3.5	100

Pozi Panhead BZP Self Tapping Screws

Part Number	Description	Length (mm)	Head Dia. (mm)	Thread Dia. (mm)	Pack Qty
QPPST8-50	Pozi Panhead BZP Self Tapping Screws 8 x 0.5”	13	8.1	4.2	100
QPPST8-75	Pozi Panhead BZP Self Tapping Screws 8 x 0.75”	19	8.1	4.2	100
QPPST8-1	Pozi Panhead BZP Self Tapping Screws 8 x 1”	25.4	8.1	4.2	100
QPPST8-15	Pozi Panhead BZP Self Tapping Screws 8 x 1.5”	40	8.1	4.2	100

Pozi Round Head BZP Wood Screws

Part Number	Description	Length (mm)	Head Dia. (mm)	Thread Dia. (mm)	Pack Qty
QWDSR6-1	Pozi Round Head BZP Wood Screws 6 x 1”	25.4	6.2	4.2	200
QWDSR8-075	Pozi Round Head BZP Wood Screws 8 x 0.75”	19	8	4.2	200
QWDSR8-1	Pozi Round Head BZP Wood Screws 8 x 1”	25.4	8	4.2	200
QWDSR8-125	Pozi Round Head BZP Wood Screws 8 x 1.25”	31.7	8	4.2	200
QWDSR8-15	Pozi Round Head BZP Wood Screws 8 x 1.5”	40	8	4.2	200
QWDSR8-175	Pozi Round Head BZP Wood Screws 8 x 1.75”	44.4	8	4.2	200
QWDSR8-2	Pozi Round Head BZP Wood Screws 8 x 2”	50.8	8	4.2	200
QWDSR8-225	Pozi Round Head BZP Wood Screws 8 x 2.25”	57.2	8	4.2	200
QWDSR8-25	Pozi Round Head BZP Wood Screws 8 x 2.5”	63.5	8	4.2	200
QWDSR8-3	Pozi Round Head BZP Wood Screws 8 x 3”	76.2	8	4.2	100
QWDSR10-1	Pozi Round Head BZP Wood Screws 10 x 1”	25.4	9	4.8	200
QWDSR10-125	Pozi Round Head BZP Wood Screws 10 x 1.25”	31.7	9	4.8	200
QWDSR10-15	Pozi Round Head BZP Wood Screws 10 x 1.5”	40	9	4.8	200
QWDSR10-175	Pozi Round Head BZP Wood Screws 10 x 1.75”	44.4	9	4.8	200
QWDSR10-2	Pozi Round Head BZP Wood Screws 10 x 2”	50.8	9	4.8	200
QWDSR10-25	Pozi Round Head BZP Wood Screws 10 x 2.5”	63.5	9	4.8	100
QWDSR10-3	Pozi Round Head BZP Wood Screws 10 x 3”	76.2	9	4.8	100
QWDSR10-4	Pozi Round Head BZP Wood Screws 10 x 4”	101.6	9	4.8	100

Stay fully stocked.

We never compromise on quality or quantity giving you the maximum value you need.

Trade Tubs

Part Number	Description	Pack Qty
QTT2U	**400** Red Plastic Wall Plugs | **400** 8x1.5” Countersunk Screws	1
QTT3	**200** Cavity/Plasterboard Metal Self Drive Plugs | **200** 8x1.5” Panhead Screws	1
QTT4	T&E Cable Clips: **400** 1.0mm² Cable Clips | **400** 2.5mm² Cable Clips	1
QTT5U	**400** Brown Plastic Wall Plugs | **400** 10x2” Countersunk Screws	1
QTT6	T&E Cable Clips: **200** 1-2.5mm² (Metal) | **400** 1.5mm² (Plastic) | **400** 2.5mm² (Plastic)	1
QTT7	2kg x 40mm Clout Nails	1
QTT8	**400** Red Plastic Wall Plugs | **400** 8x1.5” Square Lock Screws	1
QTT9	**70** 25mm Fire Clips | **20** 40mm Fire Clips | **10** 50mm Fire Clips | **100** 8x1.5” Screws | **100** Red Wall Plugs	1
QTT10Q	**400** Red Wall Plugs | **400** 8x1.5” Screws | **100** 20mm Open Quick Fit Grommets	1
QTT11U	**200** Red 32 LSF P Clips | **200** Red 34 LSF P Clips | **100** Red 342 LSF Saddle Clips	1

Pozi Panhead BZP Machine Screws



Part Number	Description	Thread Length (mm)	Head Dia. (mm)	Thread Dia. (mm)	Pack Qty
QPPMS412	Pozi Panhead BZP Machine Screws M4 x 12mm	12	8	M4	100
QPPMS416	Pozi Panhead BZP Machine Screws M4 x 16mm	16	8	M4	100
QPPMS420	Pozi Panhead BZP Machine Screws M4 x 20mm	20	8	M4	100
QPPMS425	Pozi Panhead BZP Machine Screws M4 x 25mm	25	8	M4	100
QPPMS450	Pozi Panhead BZP Machine Screws M4 x 50mm	50	8	M4	100
QPPMS510	Pozi Panhead BZP Machine Screws M5 x 10mm	10	10	M5	100
QPPMS512	Pozi Panhead BZP Machine Screws M5 x 12mm	12	10	M5	100
QPPMS516	Pozi Panhead BZP Machine Screws M5 x 16mm	16	10	M5	100
QPPMS520	Pozi Panhead BZP Machine Screws M5 x 20mm	20	10	M5	100
QPPMS525	Pozi Panhead BZP Machine Screws M5 x 25mm	25	10	M5	100
QPPMS530	Pozi Panhead BZP Machine Screws M5 x 30mm	30	10	M5	100
QPPMS540	Pozi Panhead BZP Machine Screws M5 x 40mm	40	10	M5	100
QPPMS550	Pozi Panhead BZP Machine Screws M5 x 50mm	50	10	M5	100
QPPMS612	Pozi Panhead BZP Machine Screws M6 x 12mm	12	12	M6	100
QPPMS616	Pozi Panhead BZP Machine Screws M6 x 16mm	16	12	M6	100
QPPMS620	Pozi Panhead BZP Machine Screws M6 x 20mm	20	12	M6	100
QPPMS625	Pozi Panhead BZP Machine Screws M6 x 25mm	25	12	M6	100
QPPMS630	Pozi Panhead BZP Machine Screws M6 x 30mm	30	12	M6	100
QPPMS650	Pozi Panhead BZP Machine Screws M6 x 50mm	50	12	M6	100

Slotted Panhead BZP Machine Screws

Part Number	Description	Thread Length (mm)	Thread Size	Pack Qty
QMS4x6	Slotted Panhead BZP Machine Screws M4 x 6mm	6	M4	100
QMS4x10	Slotted Panhead BZP Machine Screws M4 x 10mm	10	M4	100
QMS4x12	Slotted Panhead BZP Machine Screws M4 x 12mm	12	M4	100
QMS4x16	Slotted Panhead BZP Machine Screws M4 x 16mm	16	M4	100
QMS4x20	Slotted Panhead BZP Machine Screws M4 x 20mm	20	M4	100
QMS4x25	Slotted Panhead BZP Machine Screws M4 x 25mm	25	M4	100
QMS4x30	Slotted Panhead BZP Machine Screws M4 x 30mm	30	M4	100
QMS4x35	Slotted Panhead BZP Machine Screws M4 x 35mm	35	M4	100
QMS4x40	Slotted Panhead BZP Machine Screws M4 x 40mm	40	M4	100
QMS4x50	Slotted Panhead BZP Machine Screws M4 x 50mm	50	M4	100

Brass Panhead Machine Screws

Part Number	Description	Thread Length (mm)	Thread Size	Pack Qty
QMS4-6B	Slotted Panhead Brass Machine Screws M4 x 6mm	6	M4	100
QMS4-8B	Slotted Panhead Brass Machine Screws M4 x 8mm	8	M4	100
QMS4-10B	Slotted Panhead Brass Machine Screws M4 x 10mm	10	M4	100
QMS4-12B	Slotted Panhead Brass Machine Screws M4 x 12mm	12	M4	100
QMS4-16B	Slotted Panhead Brass Machine Screws M4 x 16mm	16	M4	100
QMS4-20B	Slotted Panhead Brass Machine Screws M4 x 20mm	20	M4	100
QMS4-25B	Slotted Panhead Brass Machine Screws M4 x 25mm	25	M4	100
QMS4-30B	Slotted Panhead Brass Machine Screws M4 x 30mm	30	M4	100
QMS4-35B	Slotted Panhead Brass Machine Screws M4 x 35mm	35	M4	100
QMS4-40B	Slotted Panhead Brass Machine Screws M4 x 40mm	40	M4	100
QMS4-50B	Slotted Panhead Brass Machine Screws M4 x 50mm	50	M4	100

For nuts & washers please see Page 64

Electrical Screws

Part Number	Description	Thread Length (mm)	Thread Size	Pack Qty
QRCSM35x25	Slotted Raised Countersunk BZP Electrical Screws M3.5 x 25mm	25	M3.5	100
QRCSM35x35	Slotted Raised Countersunk BZP Electrical Screws M3.5 x 35mm	35	M3.5	100
QRCSM35x40	Slotted Raised Countersunk BZP Electrical Screws M3.5 x 40mm	40	M3.5	100
QRCSM35x50	Slotted Raised Countersunk BZP Electrical Screws M3.5 x 50mm	50	M3.5	100
QRCSM35x75	Slotted Raised Countersunk BZP Electrical Screws M3.5 x 75mm	75	M3.5	100

All Raised Countersunk Machine screws are Zinc plated and fully threaded.

Set Screws

Part Number	Description	Length (mm)	Thread Size	Pack Qty
QHH6-25BZP	Hexagon Head BZP Set Screws M6 x 25mm	25	M6	100
QHH8-25BZP	Hexagon Head BZP Set Screws M8 x 25mm	25	M8	100
QHH10-25BZP	Hexagon Head BZP Set Screws M10 x 25mm	25	M10	100

BZP Mudguard Washers

Part Number	Description	Internal Dia. (mm)	External Dia. (mm)	Pack Qty
QMG6-25	Mudguard Washers M6 x 25mm	6.6	25	100
QMG8-25	Mudguard Washers M8 x 25mm	8.4	25	100
QMG10-25	Mudguard Washers M10 x 25mm	10.5	25	100

BZP Washers

Part Number	Description	Internal Dia. (mm)	External Dia. (mm)	Pack Qty
QF6BZP1	Flat BZP Washers M6	6.6	12	100
QF8BZP	Flat BZP Washers M8	8.4	16	10
QF10BZP1	Flat BZP Washers M10	10.5	20	100

BZP Nuts

Part Number	Description	Thread Size	Pack Qty
QHN6	Hexagon Nuts M6	M6	100
QHN8	Hexagon Nuts M8	M8	100
QHN10	Hexagon Nuts M10	M10	100

Hexagon Head Set Screws

Part Number	Description	Length (mm)	Thread Size	Pack Qty
QBRSSM6X12	Hexagon Head Brass Set Screws M6 x 12mm	12	M6	100
QBRSSM6X16	Hexagon Head Brass Set Screws M6 x 16mm	16	M6	100
QBRSSM6X20	Hexagon Head Brass Set Screws M6 x 20mm	20	M6	100
QBRSSM6X25	Hexagon Head Brass Set Screws M6 x 25mm	25	M6	100
QBRSSM6X30	Hexagon Head Brass Set Screws M6 x 30mm	30	M6	100
QBRSSM6X40	Hexagon Head Brass Set Screws M6 x 40mm	40	M6	100
QBRSSM6X50	Hexagon Head Brass Set Screws M6 x 50mm	50	M6	100
QBRSSM8X20	Hexagon Head Brass Set Screws M8 x 20mm	20	M8	100
QBRSSM8X25	Hexagon Head Brass Set Screws M8 x 25mm	25	M8	100
QBRSSM8X30	Hexagon Head Brass Set Screws M8 x 30mm	30	M8	100
QBRSSM8X40	Hexagon Head Brass Set Screws M8 x 40mm	40	M8	100
QBRSSM8X50	Hexagon Head Brass Set Screws M8 x 50mm	50	M8	100
QBRSSM10X25	Hexagon Head Brass Set Screws M10 x 25mm	25	M10	100
QBRSSM10X30	Hexagon Head Brass Set Screws M10 x 30mm	30	M10	100
QBRSSM10X40	Hexagon Head Brass Set Screws M10 x 40mm	40	M10	100
QBRSSM10X50	Hexagon Head Brass Set Screws M10 x 50mm	50	M10	100

Brass Washers

Part Number	Description	Internal Dia. (mm)	External Dia. (mm)	Pack Qty
QBWM4	Flat Brass Washers M4	4.2	9	100
QFBWM6	Flat Brass Washers M6	6.6	12	100
QFBWM8	Flat Brass Washers M8	8.4	16	100
QFBWM10	Flat Brass Washers M10	10.5	20	100

Brass Nuts

Part Number	Description	Thread Size	Pack Qty
QBFNM4	Hexagon Brass Nuts M4	M4	100
QBFHN6	Hexagon Brass Nuts M6	M6	100
QBFHN8	Hexagon Brass Nuts M8	M8	100
QBFHN10	Hexagon Brass Nuts M10	M10	100

Catenary Wire

Part Number	Description	Length (M)	Load Capacity (Kg)	Pack Qty
QCATW3X30	Catenary Wire 3mm x 30m	30	650	1
QCATW3X50	Catenary Wire 3mm x 50m	50	650	1
QCATW3X100	Catenary Wire 3mm x 100m	100	650	1

Part Number	Description	Pack Qty
QCWK	Catenary Wire Kit (3mm x 30m)	1

Catenary Accessories

Part Number	Description	Thread Size	Pack Qty
QCATGRIP	Catenary Wire Grip	M3.5	25

Part Number	Description	Load Capacity (Kg)	Pack Qty
QCATEYELET	Catenary Wire Eyelet	520	10
QCATHP	Catenary Wire Hook Plate	250	1
QCATRP	Catenary Wire Ring Plate	225	1
QSCATSH	Suspension Hooks For Fittings	8	10
QSTRAINM8	Catenary Strainer M8	570	5

Jack Chain

Part Number	Description	Length (M)	Load Capacity (Kg)	Pack Qty
QJC10M	Jack Chain 10 Metre	10	10	1
QJCHD10M	Heavy Duty Jack Chain 10 Metre	10	15	1

Jack Chain Accessories

Part Number	Description	Load Capacity (Kg)	Pack Qty
QJC25HP	25mm Round Hook Plate	80 (Depending on Substrate)	10
QJCSHP	Ceiling Hook Plate	5 (Depending on Substrate)	10

Masonry Nails

Part Number	Description	Length (mm)	Head Dia. (mm)	Nail Thickness (mm)	Pack Qty
QMN30X30	Medium Duty Masonry Nails 3 x 30mm	30	6	3	100
QMN30X40	Medium Duty Masonry Nails 3 x 40mm	40	6	3	100
QMN30X50	Medium Duty Masonry Nails 3 x 50mm	50	6	3	100
QMN30X60	Medium Duty Masonry Nails 3 x 60mm	60	6	3	100
QMN30X70	Medium Duty Masonry Nails 3 x 70mm	70	6	3	100
QMN30X80	Medium Duty Masonry Nails 3 x 80mm	80	6	3	100
QMN35X35	Heavy Duty Masonry Nails 3.5 x 35mm	35	7	3.5	100
QMN35X50	Heavy Duty Masonry Nails 3.5 x 50mm	50	7	3.5	100

Clout Nails

Part Number	Description	Length (mm)	Head Dia. (mm)	Nail Thickness (mm)	Pack Qty
QCN1KG	40mm Clout Nails (1Kg Bag)	40	8.6	2.7	1

Capping Nails

Part Number	Description	Nail Dimensions (mm)	Washer Dimensions (mm)	Pack Qty
QCAPN	Capping Nails 5 x 25mm	5 Diameter x 25 Length	8 x 1	100
QCAPN30	Capping Nails 5 x 30mm	5 Diameter x 30 Length	8 x 1	100
QCAPN35	Capping Nails 5 x 35mm	5 Diameter x 35 Length	8 x 1	100

Wall Plugs

Part Number	Description	Colour	Drill Size (mm)	Screw Dia. (mm)	Nail Dia. (mm)	Max Fixture Thickness (mm)	Pack Qty
QWPR001	Wall Plugs (Box Loose)	Red	5.5 - 6	3.5 - 5	-	5	100
QWPB001	Wall Plugs (Box Loose)	Brown	7	5-6	-	5	100
QWPW001	Wall Plugs (Box Loose)	White	5.5	-	1.2 - 2.0	5	100

Wall Plugs - For securing light wall units, shelving, brackets and kitchen fittings. Suitable for solid brickwork, masonry or concrete.

Roofing Bolts

Part Number	Description	Length (mm)	Thread Size	Pack Qty
QRB6-12	Roofing Bolts M6 x 12mm	12	M6	100
QRB6-16	Roofing Bolts M6 x 16mm	16	M6	100
QRB6-20	Roofing Bolts M6 x 20mm	20	M6	100
QRB6-25	Roofing Bolts M6 x 25mm	25	M6	100
QRB6-30	Roofing Bolts M6 x 30mm	30	M6	100
QRB6-40	Roofing Bolts M6 x 40mm	40	M6	100
QRB6-50	Roofing Bolts M6 x 50 mm	50	M6	100

Nuts Supplied

Eye Bolts

Part Number	Description	Length (mm)	Thread Size	Drill Size (mm)	Minimum Drill Depth (mm)	Pack Qty
Q-04149	Eye Bolts M6	78	M6	12	55	2
CC-04150	Eye Bolts M8	93	M8	14	70	2

For installing cables, ladder restraints and chains or heavy objects from ceilings or walls. Suitable for solid brickwork, masonry or concrete.

Projecting Anchor Bolts

Part Number	Description	Length (mm)	Thread Size	Drill Size (mm)	Minimum Drill Depth (mm)	Max Fixture Thickness (mm)	Pack Qty
CC-04141	Projecting Anchors Bolts M6 x 115mm	115	M6	10	55	60	4
Q-04145	Projecting Anchors Bolts M8 x 125mm	125	M8	14	70	60	4
Q-04146	Projecting Anchors Bolts M10 x 135mm	135	M10	16	80	60	4
CC-04147	Projecting Anchors Bolts M10 x 155mm	155	M10	16	80	60	4
CC-04148	Projecting Anchors Bolts M10 x 175mm	175	M10	16	80	100	4

For installing radiator brackets, ducting, trunking, partitions & overhead objects. Suitable for use with solid brickwork, masonry or concrete.

Hollow Wall Anchors

Part Number	Description	Length (mm)	Thread Size	Drill Size (mm)	Plasterboard Thickness (mm)	Max Fixture Thickness (mm)	Pack Qty
Q-04200	Small Hollow Wall Anchors M4	50	M4	8	12-19	16	10
Q-04202	Medium Hollow Wall Anchors M5	45	M5	9	8-15	12	10
Q-04204	Large Hollow Wall Anchors M6	45	M6	10	8-15	17	10

Small & Medium Anchor - For installing shelving, hooks and bathroom accessories. Suitable for plasterboard, cavity walls and ceilings.
Large Anchor – For installing kitchen cabinets, radiator, brackets and bathroom accessories. Suitable for plasterboard, cavity walls and ceilings.

Wedge Anchor

Part Number	Description	Length (mm)	Thread Size	Drill Size (mm)	Drill Depth with Frame (mm)	Outer Dia. (mm)	Pack Qty
QWA6-25	Wedge Anchors M6 x 25mm	25	M6	8.5	25	8	100
QWA8-30	Wedge Anchors M8 x 30mm	30	M8	10.5	30	10	100
QWA10-40	Wedge Anchors M10 x 40mm	40	M10	12.5	40	12	50

Anchor Bolts

Part Number	Description	Length (mm)	Thread Size	Drill Size (mm)	Minimum Drill Depth (mm)	Max Fixture Thickness (mm)	Pack Qty
Q-04129	Anchors Bolts M6 x 60mm	60	M6	12	55	10	4
Q-04132	Anchors Bolts M8 x 65mm	65	M8	14	70	10	4
Q-04133	Anchors Bolts M8 x 80mm	80	M8	14	70	25	4
Q-04134	Anchors Bolts M8 x 95mm	95	M8	14	70	40	4
Q-04135	Anchors Bolts M10 x 75mm	75	M10	16	80	10	4
Q-04137	Anchors Bolts M10 x 105mm	105	M10	16	80	40	4

For installing garage doors, gate posts, steelwork and heavy equipment. Suitable for brickwork, masonry or concrete.

Metal Toggle Fixings

Part Number	Description	Length (mm)	Thread Size	Drill Size (mm)	Max Fixture Thickness (mm)	Pack Qty
Q-04205	Spring Toggles M5 x 50mm	50	M5	14	15	5
Q-04208	Spring Toggles M5 x 80mm	80	M5	14	45	10

For installing light fittings and other overhead items to cavity walls or low structural strength ceilings. Suitable for ceilings and cavity walls.

Plastic Toggle Fixings

Part Number	Description	Length (mm)	Thread Size	Drill Size (mm)	Max Fixture Thickness (mm)	Pack Qty
CC-04189	Short Toggle Fixings + Screws	35	M6	8	6	5

For light switches, electrical sockets, shelves, hooks and brackets. Suitable for plasterboard, cavity walls or ceilings.

Self Drive Plug & Screws

Part Number	Description	Length (mm)	Head Dia. (mm)	Max Fixture Thickness (mm)	Pack Qty
QCVFIX	Metal Self Drive Plugs + 8 x 35mm Panhead Screws	28	13	10	100

Metal Self Drive - For shelving, bathroom sanitary ware, hooks and brackets. Suitable for plasterboard, cavity walls and ceilings.

Self Drive Screws - Pozi

Part Number	Description	Length (mm)	Head Dia. (mm)	Max Fixture Thickness (mm)	Pack Qty
QWHC42-13	Pozi Flange Zinc Plated Self Drive Screws 4.2 x 8mm	13	9.5	8	100
QWHC48-16	Pozi Flange Zinc Plated Self Drive Screws 4.8 x 9mm	16	9.5	9	100
QWHC55-20	Pozi Flange Zinc Plated Self Drive Screws 5.5 x 13mm	20	9.5	13	100

Hexagon Head Screws - Hexagon Head

Part Number	Description	Length (mm)	Head Dia. (mm)	Thread Dia. (mm)	Pack Qty
QHHC48-13	Hexagon Head BZP Self Drive Screws 4.8 x 6mm	13	10	4.8	200
QHHC48-16	Hexagon Head BZP Self Drive Screws 4.8 x 9mm	16	10	4.8	200
QHHC48-19	Hexagon Head BZP Self Drive Screws 4.8 x 12mm	19	10	4.8	200
QHHC48-25	Hexagon Head BZP Self Drive Screws 4.8 x 18mm	25	10	4.8	200
QHHC55-19	Hexagon Head BZP Self Drive Screws 5.5 x 10mm	19	10.5	5.5	200
QHHC55-25	Hexagon Head BZP Self Drive Screws 5.5 x 16mm	25	10.5	5.5	200
QHHC55-32	Hexagon Head BZP Self Drive Screws 5.5 x 23mm	32	10.5	5.5	200
QHHC55-38	Hexagon Head BZP Self Drive Screws 5.5 x 29mm	38	10.5	5.5	200
QHHC55-50	Hexagon Head BZP Self Drive Screws 5.5 x 41mm	50	10.5	5.5	200
QHHC63-50	Hexagon Head BZP Self Drive Screws 6.3 x 41mm	50	12.5	6.3	100

OB1 MULTI-SURFACE CONSTRUCTION SEALANT & ADHESIVE

THE NO.1 SEALANT & ADHESIVE

The original multi-surface construction sealant & adhesive from Unicrimp®

24 MONTH SHELF LIFE!

ONE TUBE DOES EVERYTHING!

User-friendly, hybrid polymer formulation for the ultimate in bonding and sealing. An alternative to mastics, wood and PU adhesives, silicones, acrylics and butyl rubber sealants.

Does not contain solvents so will never crack or shrink. Can be applied on wet surfaces, painted or moulded. Very high bond strength with resistance to fungal and bacterial growth.

FROM UNICRIMP®

OB1 Product Stands C/W Profile

Part Number	Description	Pack Qty
OB1COUNTERSTAND	OB1 Cartridge Counter Display Stand (With Profile Of 60 Cartridges)	1
OB1FLOORSTAND	OB1 Cartridge Floor Display Stand (With Profile Of 192 Cartridges)	1

OB1 Sealant & Adhesive

UNICRIMP®

OB1 Sealant & Adhesive

Part Number	Description	Colour	RAL Code	Pack Qty
OB1SCS290W	OB1 Multi-Surface Construction Sealant & Adhesive - 290ml Cartridge	White	RAL9100	1
OB1SCS290C	OB1 Multi-Surface Construction Sealant & Adhesive - 290ml Cartridge	Clear	-	1
OB1SCS290BL	OB1 Multi-Surface Construction Sealant & Adhesive - 290ml Cartridge	Black	RAL9200	1
OB1SCS290A	OB1 Multi-Surface Construction Sealant & Adhesive - 290ml Cartridge	Anthracite	RAL7016	1
OB1SCS290G	OB1 Multi-Surface Construction Sealant & Adhesive - 290ml Cartridge	Grey	RAL7100	1
OB1SCS290S	OB1 Multi-Surface Construction Sealant & Adhesive - 290ml Cartridge	Silver	RAL7114	1
OB1SCS290SST	OB1 Multi-Surface Construction Sealant & Adhesive - 290ml Cartridge	Sandstone	RAL1102	1
OB1SCS290B	OB1 Multi-Surface Construction Sealant & Adhesive - 290ml Cartridge	Brown	RAL8172	1
OB1SCS290T	OB1 Multi-Surface Construction Sealant & Adhesive - 290ml Cartridge	Terracotta	RAL8004	1
OB1DUSA290CC	OB1 Diamond Seal & Adhesive - 290ml Cartridge	Clear	-	1

Adhesive Accessories

Part Number	Description	Pack Qty
OB1GFW80	OB1 Heavy Duty Cleaning Wipes	80

OB1 Surface Cleaner & Paint / Varnish Remover

Part Number	Description	Pack Qty
OB1MPSC500	OB1 Mult Surface Cleaner 500ml Aerosol	1
OB1MSPR500	OB1 Multi-Layer Paint & Varnish Remover 500ml Aerosol	1

OB41 Surface Cleaner & Lubricants

Part Number	Description	Pack Qty
OB41SLS400	OB41 Silicone Spray - 400ml	1
OB41MUPO400	OB41 Multi Use Penetrating Oil - 400ml	1
OB41WGS400	OB41 White (Lithium) Grease - 400ml	1
OB41PPC400	OB41 Powerful Plastic Cleaner Spray - 400ml	1
OB41ECC400	OB41 Electrical Contact Cleaner Spray - 400ml	1
OB41UC400	OB41 Universal Cleaner Spray - 400ml	1
OB41MOS400	OB41 6 In 1 Multi Oil Spray - 400ml	1
OB41CTDF400	OB41 Cut Tap & Drill Fluid Spray - 400ml	1
OB41GLV400	OB41 Galvanising Spray - 400ml	1

Caulk

Part Number	Description	Colour	Pack Qty
SCONTDC300W	Acrylic Decorators Caulk - (C3) 300ml Cartridge	◯ White	1

Silicone Adhesives

Part Number	Description	Colour	Pack Qty
SCONTHMA300C	General Purpose Silicone Adhesives Contractors - 300ml Cartridge	◯ Clear	1
SCONTHMA300W	General Purpose Silicone Adhesives Contractors - 300ml Cartridge	◯ White	1

Bonding Adhesive

Part Number	Description	Pack Qty
BTKESG350	Solvent Based Bonding Adhesive 350ml Cartridge	1

Anti-Pick Grip & Grab

Part Number	Description	Pack Qty
SXMSGGA290W	SX Mighty Strength Grip & Grab Adhesive 290ml	1

Expanding Foam

Part Number	Description	Pack Qty
SXFF500	Hand Held Expanding Foam Can 500ml	1

Plaster Filler

Part Number	Description	Pack Qty
SXPF310W	Instant Plaster Filler Light Weight C3 Tube 310ml Cartridge	1
ZPBF1L	Instant Plaster Filler - White 1 litre Tub	1

Superglue

Part Number	Description	Pack Qty
SXSG50	SX Trade Strength Superglue 50g	1

Adhesive Accessories

Part Number	Description	Pack Qty
GUNSG400	Professional Application Gun	1

Earthing Rods & Accessories

Part Number	Description	Pack Qty
QEP3812	3/8'' Earth Rod - 1200mm	1
QEP38CC	3/8'' Rod To Cable Clamp (G Type)	1
QEP38CL	3/8'' Rod To Split Connector Clamp	1
QEP5812T	5/8'' Threaded Earth Rod - 1200mm	1
QEP58CC	5/8'' Rod to Cable Clamp (G Type)	1
QEP58CL	5/8" Rod To Threaded Split Connector Clamp	1
QEP58TC	5/8'' Threaded Coupler	1
QEP58TDS	5/8'' Threaded Driving Stud	1

The 3/8 range are available in single lengths only and cannot be coupled.

The 5/8 range includes couplers (sold separately) to join rods together

Inspection Pits

Part Number	Description	Pack Qty
QEPIPCON	Concrete Inspection Pit	1
QEPIPPLA	Polymer Inspection Pit	1

Earth Electrode Box

Part Number	Description	Pack Qty
QEP1B	Earth Electrode Box	1

Earthing Box

Part Number	Description	Pack Qty
QEP3GLV	100mm x 100mm x 95mm Galvanised Earthing Box	1
QEP2G	100mm x 100mm x 80mm Earthing Box c/w Safety Label	1

Earthing Clamps

Part Number	Description	Pack Qty
QBEPS	Brass Earthing Plate - Single	2
QBEPD	Brass Earthing Plate - Double	2

Earth Bonding Clamps

Part Number	Description	Pack Qty
QEC14	Earth Bonding Clamps EC14 Dry Conditions	20
QEC15	6" Earth Bonding Clamps EC15 Wet Conditions	20
QEC15-9	9" Earth Bonding Clamps EC15 Wet Conditions	20
QEC15-12	12" Earth Bonding Clamps EC15 Wet Conditions	20
QSEC	Speedy Panel Earth Bonding Clamps Dry Conditions	100

Tested and approved to BS951

10mm2 cable max.

Accessories

Carpet Protector

Part Number	Description	Pack Qty
QFP25	Heavy Duty Carpet Protector 25m x 500mm	1 Roll
QFP50	Heavy Duty Carpet Protector 50m x 500mm	1 Roll

Dust Sheet

Part Number	Description	Pack Qty
QCTDS	Cotton Twill Poly Backed Dust Sheet - 3600mm x 2700mm	1

Rubble Sacks

Part Number	Description	Pack Qty
QHDSRS	Heavy Duty Standard 70L Size Rubble Sacks	1 Roll of 10
QHDLRS	Heavy Duty Large 135L Size Rubble Sacks	1 Roll of 10

Torque Driver

Part Number	Description	Pack Qty
QTOURQ	Torque Driver Set - Contains: Screwdriver Handle, 1.7Nm & 2.3Nm Torques, Flat & Phillips Heads	1

Lock Off Kits

Part Number	Description	Pack Qty
QTAG5	Basic Lock Off Kit	1
QTAG4	Contractor Lock Off Kit	1

Sales Office

Based alongside our distribution facility this busy sales office provides a central point of contact for all customer service requirements. The professionalism skills and knowledge of our internal sales team enables us to provide the high standard of service that we know our customers expect. Our on-line ordering facility is also managed within this office.

"At Unicrimp® the whole business is focused on the customer. We aim to provide market leading levels of service and customer support.

Our forward thinking and investment for the future together with our dedicated employees enable a dynamic working environment that provides the platform for continued growth."

- Mike Jackson
Sales Director

In-House Studio

Marketing support including product literature and point of sale material is designed by our in-house design studio. This facility enables us to offer bespoke marketing support to our customers.

Product Development

Unicrimp® products are designed with our customer/the installer very much in mind.
Our purpose built facilities and dedicated product development team, based in the UK allows us the flexibility to design and develop these products based on customer feedback and market research, ensuring we are producing a relevant, reliable and quality range of products.



Distributor Network

Unicrimp® distributes exclusively through the electrical wholesale trade. These include Independent Wholesalers, National Wholesale Groups and Buying Consortium making the products readily available throughout the UK.

Warehouse/Service

Our centrally located 150,000sq ft Warehouse and Distribution Centre allow us to deliver our products on time every time.

Stock

We understand the importance of stock availability and are committed to having at least 97% stock availability at our central distribution centre at any given time.

UNICRIMP® Website

The newly refreshed Unicrimp site provides customers with access to detailed product information for the company's extensive range of cable management consumables.

With regular updates on new products and details of developments within our business, the site is a great source of information.

Online Ordering

The site now incorporates a number of improved features that allow users to access new information directly and easily:

- Ordering 24 hours a day 7 days a week with the ability to check current stock levels as required, meaning you are not restricted to ordering during normal office hours.
- Order upload - You can now upload your order directly to our online ordering using a CSV or PDF.
- The order tracking service keeps you up to date with the progress of your shipment.
- Managing your administration paperwork is now even easier with instant access to reports and essential documents at a click of a button.
- A 'quick buy tab' and the ability to store the most common orders for repeated use, adds to the versatility and flexibility of the revised system.



The Full Q-Crimp® Range

The full product range can be found online with specific information about each product and access to the latest Unicrimp® catalogue.

To Register: E-mail us at **sales@unicrimp.com** or call our Sales Office on **01827 300 600** and one of our Sales Representatives will be more than happy to get you on-line.

Scolmore® Group App

The Scolmore® Group app allows you to use your smart phone to browse our complete range of products, add products to your Favourites or to the Quote Basket and allows you to email the contents of the basket back to yourself.

With Scolmore®, OVIA® Lighting, ESP® & UNICRIMP® products available you can use the search facility to easily locate the products required.

Our App also has a useful tool kit featuring:
Quick Quote Calculator, Zs Values, Cables Selection & Voltage Drop, Adiabatic Equation Calculator, Power Factor Calculator, KVA Converter, Lighting Cost Saving Calculator, Lighting No. Calculator and many more...

Marketing Hub

The Marketing Hub gives customers the opportunity to enhance their own marketing facilities with very little effort or cost. A selection of templates are available featuring many of our popular products. These templates can be customised with our stockists' details to provide maximum impact and optimise local sales opportunities.





Print Ready Leaflets & More!

Promotional leaflets are available to download for UNICRIMP®. They all have editable sections so you can add your companies details. Also download all of our product images, all saved by product code and at a perfect resolution for your website.

unicrimp.com/product-images

Product Index

SKU	
1910BSA	40
1920B	40
1920BL	40
1920BR	40
1920GR	40
1920GY	40
1920MX01	40
1920MX02	40
1920R	40
1920W	40
1920Y	40
1920YG	40
1933B	40
1933BL	40
1933BR	40
1933GR	40
1933GY	40
1933R	40
1933W	40
1933Y	40
1933YG	40
BTKESG350	73
BTKFPIA300W	55
BUK30623574	55
BUK30811859	55
CC-04141	68
CC-04147	68
CC-04148	68
CC-04150	67
CC-04189	69
GUNSG400	74
OB1COUNTERSTAND	71
OB1DUSA290CC	72
OB1FLOORSTAND	71
OB1GFW80	72
OB1MPSC500	72
OB1MSPR500	72
OB1SCS290A	72
OB1SCS290B	72
OB1SCS290BL	72
OB1SCS290C	72
OB1SCS290G	72
OB1SCS290S	72
OB1SCS290SST	72
OB1SCS290T	72
OB1SCS290W	72
OB41CTDF400	72
OB41ECC400	72
OB41GLV400	72
OB41MOS400	72
OB41MUPO400	72
OB41PPC400	72
OB41SLS400	72
OB41UC400	72
OB41WGS400	72
Q-04129	69
Q-04132	69
Q-04133	69
Q-04134	69
Q-04135	69
Q-04137	69
Q-04145	68
Q-04146	68
Q-04149	67
Q-04200	68
Q-04202	68
Q-04204	68
Q-04205	69
Q-04208	69
QAE1W20	35
QAE1W20S	35
QAE1W25	35
QAE1W32	35
QARB12B	55
QARB12G	55
QARB12R	55
QARB12W	55
QARB17B	55
QARB17G	55
QB1-5	24
QB10	24
QB120	24
QB150	24
QB16	24
QB185	24
QB2-5	24
QB240	24
QB25	24
QB35	24
QB4-6	24
QB50	24
QB70	24
QB95	24
QBAB4F	19
QBAB4M	19
QBAB5F	19
QBAB5M	19
QBB	19
QBBL18	19
QBBL9	19
QBEPD	44,75
QBEPS	44,75
QBF3	19
QBF3N	19
QBF4N	19
QBF5	19
QBF6	19
QBFHN10	64
QBFHN6	64
QBFHN8	64
QBFNM4	64
QBFPO48F5	19
QBFPO48F8	19
QBFPO63F	19
QBFR05	21
QBFR075	21
QBFR1	21
QBFR10	21
QBFR15	21
QBFR25	21
QBFR4	21
QBFR6	21
QBG32TP	39
QBG40TP	39
QBO120G	12
QBO125G	12
QBO20G	12
QBO220G	12
QBO225G	12
QBO25G	12
QBOA220G	12
QBOA225G	12
QBP12	19
QBPO48F5	19
QBPO48F8	19
QBPO48M5	19
QBPO48M8	19
QBPO63F	19
QBPO63M	19
QBPO85F	19
QBPOA63	19
QBR10	19
QBR12	19
QBR3	19
QBR37	19
QBR4	19
QBR5	19
QBR6	19
QBR8	19
QBRSSM10X25	64
QBRSSM10X30	64
QBRSSM10X40	64
QBRSSM10X50	64
QBRSSM6X12	64
QBRSSM6X16	64
QBRSSM6X20	64
QBRSSM6X25	64
QBRSSM6X30	64
QBRSSM6X40	64
QBRSSM6X50	64
QBRSSM8X20	64
QBRSSM8X25	64
QBRSSM8X30	64
QBRSSM8X40	64
QBRSSM8X50	64
QBSC20G	14
QBSC25G	14
QBTB4	41
QBTB8	41
QBW20	36
QBW20-3	38
QBW20-LSF	36
QBW20S	36
QBW20S-3	38
QBW20S-LSF	36
QBW20SS	36
QBW25	36
QBW25-3	38
QBW25-LSF	36
QBW32	36
QBW32-3	38
QBW32-LSF	36
QBW40	36
QBW40-3	38
QBW40-LSF	36
QBW50	36
QBW50-LSF	36
QBW50S	36
QBW63	36
QBW63-LSF	36
QBW63S	36
QBWM4	64
QBWS6-1	58
QBWS8-075	58
QBWS8-1	58
QBWS8-15	58
QBWS8-175	58
QBWS8-20	58
QC10	47
QC10MBK	51
QC11	47
QC11MBK	51
QC12	47
QC12MBK	51
QC14	47
QC14MBK	51
QC16	47
QC16MBK	51
QC18	47
QC18MBK	51
QC20	47
QC20MBK	51
QC3MBK	51
QC4	47
QC4MBK	51
QC5	47
QC5MBK	51
QC6	47
QC6MBK	51
QC6MBKBULK	51
QC7	47
QC7MBK	51
QC7MBKBULK	51
QC8	47
QC8MBK	51
QC9	47
QC9MBK	51
QCAPN	66
QCAPN30	66
QCAPN35	66
QCATEYELET	65
QCATGRIP	65
QCATHP	65
QCATRP	65
QCATW3X100	65
QCATW3X30	65
QCATW3X50	65
QCB120G	12
QCB125G	12
QCB220G	12
QCB225G	12
QCB320G	12
QCB325G	12
QCB420G	12
QCB425G	12
QCBA220G	12
QCBA225G	12
QCBH420G	12
QCBH425G	12
QCBTA220G	12
QCBTT320G	12
QCBU220G	12
QCBU225G	12
QCBY320G	12
QCBY325G	12
QCF20G	15
QCF25G	15
QCGM12BLK	39
QCGM12GRY	39
QCGM12RED	39
QCGM16BLK	39
QCGM16GRY	39
QCGM16RED	39
QCGM16WHT	39
QCGM20AG	39
QCGM20BLK	39
QCGM20GRY	39
QCGM20LBLK	39
QCGM20LGRY	39
QCGM20LRED	39
QCGM20LWHT	39
QCGM20RED	39
QCGM20WHT	39
QCGM25BLK	39
QCGM25GRY	39
QCGM25RED	39
QCGM25WHT	39
QCGM32BLK	39
QCGM32GRY	39
QCGM32RED	39
QCGM32TPW	39
QCGM32WHT	39
QCGM40BLK	39
QCGM40GRY	39
QCGM40TPW	39
QCGM40WHT	39
QCGM50BLK	39
QCGM50GRY	39
QCGM50WHT	39
QCGM63BLK	39
QCGM63GRY	39
QCGM63WHT	39
QCN1KG	66
QCRG	13
QCT015-3	22
QCT015-4	22
QCT015-5	22
QCT025-3	22
QCT025-4	22
QCT025-5	22
QCT025-6	22
QCT04-10	22
QCT04-6	22
QCT04-8	22
QCT06-10	22
QCT06-4	22
QCT06-5	22
QCT06-6	22
QCT06-8	22
QCT10-10	22
QCT10-12	22
QCT10-5	22
QCT10-6	22
QCT10-8	22
QCT120-10	23
QCT120-12	23
QCT120-14	23
QCT120-16	23
QCT120-20	23
QCT120-8	23
QCT150-10	23
QCT150-12	23
QCT150-14	23
QCT150-16	23
QCT150-20	23
QCT150-8	23
QCT16-10	22
QCT16-12	22
QCT16-6	22
QCT16-8	22
QCT185-10	23
QCT185-12	23
QCT185-14	23
QCT185-16	23
QCT185-20	23
QCT20G	15
QCT240-10	23
QCT240-12	23
QCT240-14	23
QCT240-16	23
QCT25-10	22
QCT25-12	22
QCT25-5	22
QCT25-6	22
QCT25-8	22
QCT25G	15
QCT35-10	23
QCT35-12	23
QCT35-6	23
QCT35-8	23
QCT50-10	23
QCT50-12	23
QCT50-6	23
QCT50-8	23
QCT70-10	23
QCT70-12	23
QCT70-14	23
QCT70-6	23
QCT70-8	23
QCT95-10	23
QCT95-12	23
QCT95-14	23
QCT95-16	23
QCT95-8	23
QCTDS	76
QCTNP120-10	24
QCTNP120-8	24
QCTNP150-8	24
QCTNP35-6	24
QCTNP50-6	24
QCTNP70-6	24
QCTNP70-8	24
QCTNP95-8	24
QCVFIX	70
QCW20	37
QCW20-4	38
QCW20-LSF	37
QCW20S	37
QCW20S-4	38
QCW20S-LSF	37
QCW20SS	37
QCW25	37
QCW25-4	38
QCW25-LSF	37
QCW32	37
QCW32-4	38
QCW32-LSF	37
QCW40	37
QCW40-4	38
QCW40-LSF	37
QCW50	37
QCW50-LSF	37
QCW50S	37
QCW63	37
QCW63-LSF	37
QCW63S	37
QCW75	37
QCW75S	37
QCWK	65
QCXT20	34
QCXT20S	34
QCXT25	34
QCXT32	34
QCXT40	34
QCXT50	34
QCXT63	34
QDBFR05	21
QDBFR075	21
QDBFR1	21
QDBFR10	21
QDBFR15	21
QDBFR25	21
QDBFR4	21
QDBFR6	21
QDC1	45
QDC2	45
QDC20G	14
QDC25G	14
QDS20G	14
QDS25G	14
QDT50X50	40
QDWS35-38	58
QEC14	76
QEC15	76
QEC15-12	76
QEC15-9	76
QEC20G	15
QEC25G	15
QEP1B	75
QEP2G	75
QEP3812	75
QEP38CC	75
QEP38CL	75
QEP3GLV	75
QEP5812T	75
QEP58CC	75
QEP58CL	75
QEP58TC	75
QEP58TDS	75
QEPIPCON	75
QEPIPPLA	75
QER20G	13
QER25G	13
QES2	32
QES2BK	32
QES2BL	32
QES2BR	32
QES2GY	32
QES2PK	32
QES3	32
QES3BK	32
QES3BL	32
QES3BR	32
QES3GY	32
QES3PK	32
QES4	32
QES4BK	32
QES4BL	32
QES4BR	32
QES4GY	32
QES4PK	32
QES5	32
QET120G	13
QET220G	13
QET320G	13
QETA220G	13
QEXT	58
QF10BZP1	63
QF6BZP1	63
QF8BZP	63
QFA2034G	15
QFA3420G	15
QFB20	17
QFB25	17
QFBWM10	64
QFBWM6	64
QFBWM8	64
QFC1	45
QFC2	45
QFC20G	15
QFC25G	15
QFC3	45
QFC4	45
QFC5	45
QFC6	45
QFC7	45
QFGFC25	53
QFGFC40	53
QFGFC50	53
QFP25	76
QFP50	76
QFWC1	45
QFWC4	45
QFWC5	45
QFWC6	45
QFWC7	45
QGROM20CLOSED	47
QGROM20OPEN	47
QGROM25CLOSED	47
QGROM25OPEN	47
QGROM32CLOSED	47
QGROM32OPEN	47
QGROMQ20CLOSED	47
QGROMQ20OPEN	47
QGROMQ25CLOSED	47
QGROMQ25OPEN	47
QGROMQ32CLOSED	47
QGROMQ32OPEN	47
QGT10B	47
QGT3B	47
QGT5B	47
QHDLRS	76
QHDSRS	76
QHGL	13
QHH10-25BZP	63
QHH6-25BZP	63
QHH8-25BZP	63
QHHC48-13	70
QHHC48-16	70
QHHC48-19	70
QHHC48-25	70
QHHC55-19	70
QHHC55-25	70
QHHC55-32	70
QHHC55-38	70
QHHC55-50	70
QHHC63-50	70
QHN10	63
QHN6	63
QHN8	63
QHR2016G	15
QHR2520G	15
QHR3220G	15
QHR3225G	15
QHS12MP225	32
QHS19MP225	32
QHS4MP225	32
QHS6MP225	32
QHS9MP225	32
QHSB1	18
QHSB2	19
QHSB5	20
QHSP20G	15
QHSP25G	15
QIB20G	16
QIB25G	16
QIE20G	16
QIE25G	16
QIT20G	16
QIT25G	16
QJ12B	45
QJ12W	45
QJC10M	65
QJC25HP	65
QJCHD10M	65
QJCSHP	65
QL2322	43
QL3322	43
QL5322	43
QLB1G	13
QLB2G	13
QLB3G	13
QLB4G	13
QLGL	13
QLGS20G	14
QLGS25G	14
QLN20G	14
QLN25G	14
QLR20G	14
QLR25G	14
QMA48-40	53
QMC25	53
QMC25GY	53
QMC25RD	53
QMC25WH	53
QMC6	53
QMC6GY	53
QMC6RD	53
QMC6WH	53
QMCTBL150I	26
QMCTBL200S	26
QMCTBL280S	26
QMCTBL385S	26
QMG10-25	63
QMG6-25	63
QMG8-25	63
QMH20G	13
QMLB20	17
QMLB25	17
QMLB32	17
QMLB38	17
QMM9	31
QMN30X30	66
QMN30X40	66
QMN30X50	66
QMN30X60	66
QMN30X70	66
QMN30X80	66
QMN35X35	66
QMN35X50	66
QMS4-10B	62
QMS4-12B	62
QMS4-16B	62
QMS4-20B	62
QMS4-25B	62
QMS4-30B	62
QMS4-35B	62
QMS4-40B	62
QMS4-50B	62
QMS4-6B	62
QMS4-8B	62
QMS4X10	61
QMS4X12	61
QMS4X16	61
QMS4X20	61
QMS4X25	61
QMS4X30	61
QMS4X35	61
QMS4X40	61
QMS4X50	61
QMS4X6	61
QMSB20	17
QMSB25	17
QMXS1	32
QMXS223	32
QMXS3	32
QMXS334	32
QMXS445	32
QNB20G	16
QNB25G	16
QOE3032BLK	44
QOE3052BLK	44
QOE3053BLK	44
QOE5232BLK	44
QOE5553AGYF	44
QOE5553BLKF	44
QOE8332BLK	44
QOE8333BLK	44
QOE8342BLK	44
QOE8553AGY	43
QOE8553AGYF	43
QOE8553AGYTF	43
QOE8553BLK	43
QOE8553BLKF	43
QOE8553BLKTF	43
QP2242R2	41
QP3242O2	41
QP4242Y2	41
QP5242T2	41
QP6242P2	41
QP8242B2	41
QPC28LSFB	54
QPC28LSFR	54
QPC28LSFW	54
QPC30LSFB	54
QPC30LSFR	54
QPC30LSFW	54
QPC32LSFB	54
QPC32LSFR	54
QPC32LSFW	54
QPC34LSFB	54
QPC34LSFR	54
QPC34LSFW	54
QPC37LSFB	54
QPC37LSFR	54
QPC37LSFW	54
QPPMS412	61
QPPMS416	61
QPPMS420	61
QPPMS425	61
QPPMS450	61
QPPMS510	61
QPPMS512	61
QPPMS516	61
QPPMS520	61
QPPMS525	61
QPPMS530	61
QPPMS540	61
QPPMS550	61
QPPMS612	61
QPPMS616	61
QPPMS620	61
QPPMS625	61
QPPMS630	61
QPPMS650	61
QPPST8-1	58
QPPST8-15	58
QPPST8-50	58
QPPST8-75	58
QRAB4F	18
QRAB4M	18
QRB	18
QRB6-12	67
QRB6-16	67
QRB6-20	67
QRB6-25	67
QRB6-30	67
QRB6-40	67
QRB6-50	67
QRBL10	18
QRBL14	18
QRBL18	18
QRC1	46
QRC10	46
QRC11	46
QRC12	46
QRC13	46
QRC14	46
QRC15	46
QRC16	46
QRC17	46
QRC18	46
QRC1B	46
QRC2	46
QRC2B	46
QRC3	46
QRC4	46
QRC5	46
QRC6	46
QRC7	46
QRC8	46
QRC8-12B	46
QRC8-12W	46
QRC9	46
QRCSM35X25	62
QRCSM35X35	62
QRCSM35X40	62
QRCSM35X50	62
QRCSM35X75	62
QRF3	18
QRF3N	18
QRF4N	18
QRF5	18
QRF6	18
QRFPO28F5	18
QRFPO28F8	18
QRFPO48F5	18
QRFPO48F8	18
QRFPO63F	18
QRP12	18
QRPO28F5	18
QRPO28F8	18
QRPO28M5	18
QRPO28M8	18
QRPO48F5	18
QRPO48F8	18
QRPO48M5	18
QRPO48M8	18
QRPO63F	18
QRPO63M	18
QRPOA63	18
QRR10	18
QRR12	18
QRR3	18
QRR37	18
QRR4	18
QRR5	18
QRR6	18
QRR8	18
QSAC15	31
QSAC25	31
QSBS20	54
QSBS20B	54
QSBS20W	54
QSBS25	54
QSBS25B	54
QSBS25W	54
QSC20G	16
QSC25G	16
QSC302LSFB	54
QSC302LSFR	54
QSC302LSFW	54
QSC342LSFB	54
QSC342LSFR	54
QSC342LSFW	54
QSC382LSFB	54
QSC382LSFR	54
QSC382LSFW	54
QSCATSH	65
QSE20G	16
QSE25G	16
QSEC	76
QSLR10-1	56
QSLR10-125	56
QSLR10-15	56
QSLR10-175	56
QSLR10-2	56
QSLR10-25	56
QSLR10-3	56
QSLR8-1	56
QSLR8-125	56
QSLR8-15	56
QSLR8-175	56
QSLR8-2	56
QSLR8-225	56
QSLR8-25	56
QSLR8-3	56
QSLR8-75	56
QSLS-BIT	56
QSLS-BIT6	56
QSLS10-1	56
QSLS10-125	56
QSLS10-15	56
QSLS10-175	56
QSLS10-2	56
QSLS10-25	56
QSLS10-3	56
QSLS8-075	56
QSLS8-1	56
QSLS8-125	56
QSLS8-15	56
QSLS8-175	56
QSLS8-2	56
QSLS8-225	56
QSLS8-25	56
QSLS8-3	56
QSP20	17
QSP25	17
QSST150S	52
QSST200S	52
QSST2200S	52
QSST2300S	52
QSST2360S	52
QSST300LH	52
QSST300S	52
QSST360LH	52
QSST360S	52
QSST520LH	52
QSST520S	52
QSST840LH	52
QSSTM-4	52
QSSTM-6	52
QSTRAINM8	65
QT100M	26
QT1030XH	29
QT120M	26
QT120S	27
QT150I	28
QT150LH	29
QT160S	27
QT165M	26
QT190S	27
QT200I	28
QT200LH	29
QT200M	26
QT200RE	28
QT200S	27
QT230XH	29
QT250S	27
QT280XH	29
QT290I	28
QT300LH	29
QT300RE	28
QT300S	27
QT370I	28
QT370LH	29
QT370RE	28
QT370S	27
QT380XH	29
QT430S	27
QT450H	29
QT480XH	29
QT550H	29
QT550XH	29
QT730XH	29
QT760H	29
QT80M	26
QT810H	29
QT880XH	29
QTAG4	76
QTAG5	76
QTB100M	26
QTB1030XH	29
QTB12	30
QTB120M	26
QTB120S	27
QTB15	41
QTB150I	28
QTB150LH	29
QTB160S	27
QTB165M	26
QTB190S	27
QTB200I	28
QTB200LH	29
QTB200M	26
QTB200RE	28
QTB200S	27
QTB22	30
QTB230XH	29
QTB250S	27
QTB280XH	29
QTB290I	28
QTB30	41
QTB300LH	29
QTB300RE	28
QTB300S	27
QTB370I	28
QTB370LH	29
QTB370RE	28
QTB370S	27
QTB380XH	29
QTB430S	27
QTB450H	29
QTB480XH	29
QTB5	41
QTB550H	29
QTB550XH	29
QTB60	41
QTB730XH	29
QTB760H	29
QTB80M	26
QTB810H	29
QTB880XH	29
QTBB12	30
QTBB22	30
QTBC	30
QTBE	30
QTBL100M	26
QTBL150I	28
QTBL200S	27
QTBL300S	27
QTBL370S	27
QTC	30
QTE	30
QTG100M	26
QTG150I	28
QTG200S	27
QTG300S	27
QTG370S	27
QTM11	31
QTM17	31
QTM5	31
QTMB11	31
QTMB17	31
QTMB5	31
QTOURQ	76
QTR100M	26
QTR150I	28
QTR200S	27
QTR300S	27
QTR370S	27
QTRSG20	17
QTRSG25	17
QTS300S	27
QTS370S	27
QTT10Q	60
QTT11U	60
QTT2U	60
QTT3	60
QTT4	60
QTT5U	60
QTT6	60
QTT7	60
QTT8	60
QTT9	60
QTY100M	26
QTY150I	28
QTY200S	27
QTY300S	27
QTY370S	27
QUGT100X200	40
QWA10-40	68
QWA6-25	68
QWA8-30	68
QWDS6X075	57
QWDS6X1	57
QWDS6X125	57
QWDS6X15	57
QWDSR10-1	59
QWDSR10-125	59
QWDSR10-15	59
QWDSR10-175	59
QWDSR10-2	59
QWDSR10-25	59
QWDSR10-3	59
QWDSR10-4	59
QWDSR6-1	59
QWDSR8-075	59
QWDSR8-1	59
QWDSR8-125	59
QWDSR8-15	59
QWDSR8-175	59
QWDSR8-2	59
QWDSR8-225	59
QWDSR8-25	59
QWDSR8-3	59
QWHC42-13	70
QWHC48-16	70
QWHC55-20	70
QWPB001	66
QWPR001	66
QWPW001	66
QWS10-10	57
QWS10-125	57
QWS10-15	57
QWS10-175	57
QWS10-20	57
QWS10-25	57
QWS10-3	57
QWS10-4	57
QWS8-05	57
QWS8-075	57
QWS8-1	57
QWS8-125	57
QWS8-15	57
QWS8-175	57
QWS8-20	57
QWS8-225	57
QWS8-25	57
QWS8-30	57
QYAB5F	20
QYAB5M	20
QYB	20
QYBL10	20
QYBL18	20
QYF3N	20
QYF4N	20
QYF5	20
QYF6	20
QYFPO63F	20
QYFPO95F	20
QYP14	20
QYPO63F	20
QYPO63M	20
QYPO95F	20
QYPOA63	20
QYR10	20
QYR12	20
QYR4	20
QYR5	20
QYR6	20
QYR8	20
SCONTDC300W	73
SCONTHMA300C	73
SCONTHMA300W	73
SXFF500	74
SXMSGGA290W	73
SXPF310W	74
SXSG50	74
ZPBF1L	74

UNI1040/17 | Errors and Omissions excluded. Specification is subject to change without notice.

United Kingdom

UNICRIMP®

Scolmore House, Mariner
Lichfield Road Industrial Estate,
Tamworth, Staffordshire,
B79 7UL

T: +44 (0)1827 300 600
E: sales@unicrimp.com
www.unicrimp.com

Southern Ireland

CLICK® Litehouse

18 Corrig Road,
Sandyford Industrial Estate,
Dublin, D18 WV79, Ireland

T: +353 (1) 2811 122
E: sales@clicklitehouse.ie
www.clicklitehouse.ie

Dubai, UAE

Scolmore® MIDDLE EAST

Lake Central Tower,
Office 1803, Business Bay,
Dubai, UAE

UAE Office: +971 4589 6552
E: sales@scolmoreme.com
www.scolmoreme.com

CARBON BALANCED PRINT
www.carbonbalancedprint.com
CBP2262